

**DISCLAIMER**

**THIS IS AN UNOFFICIAL DOCUMENT UNTIL APPROVED BY GOVERNING BODY**

**AGENDA:**

MAYOR AND BOROUGH COUNCIL

**BUSINESS (X)**

MEETING NO.5

REGULAR ( )

DATE: 2/24/14

7:00 P.M.

SPECIAL ( )

\*\*\*\*\*

ROLL CALL:	Mayor Krenzel	( )			Atty: _____
	Clm. Guindi	( )	Clm. Jones	( )	Eng: _____
	Clm. Haussermann	( )	Clm. Trenga	( )	Adm: _____
	Clm. Hutchison	( )	Clm. Roselli	( )	: _____

\*\*\*\*\*

Public Announcement - Chapter 231, P. L. 1975

PUBLIC COMMENTS (agenda items only)

MINUTES

Minutes of Meeting No.4 held on February 10, 2014

REPORTS

1. CFO/Treasurer
2. Professional staff
3. Departments

LICENSES

- Wreckers Licenses - Riporti Auto Mart (Attachment A)
- George Logan Towing, Inc. (Attachment B)
- Rich's Towing Service, Inc. (Attachment C)

NEW BUSINESS

- Refund of electric consumer deposits (Attachment D)
- Approve 2013 Recycling Tonnage Grant Application (Attachment E)
- Approve Agreements with Middlesex Cty. for E-cycle and CFC (chlorofluorocarbons) Recovery Programs (Attachment F)
- Computers/software upgrades (Attachment G)
- Snow removal (Attachment H)
- Authorize 2014 Temporary Budget Emergency Appropriations
- Remediation Proposal for Firehouse Redevelopment Site (Attachment I)
- Remediation Proposal for Firehouse Redevelopment Site with Additional Prof. Engineering Sevices (Attachment J)

UNFINISHED BUSINESS

- 2014 HCD Block Grant - Allocation of funds (Attachment K)
- Award contract to Allied Construction Group, Inc. - Jackson Street Sewerage Pumping Station Modifications (Attachment L)
- Approve Ptl. Todd Nonesteid Retirement Agreement
- Ferry St. - Limited Parking (Attachment M)
- Electric Usage for Lights at Borough Parks (Attachment N)
- Generators

COUNCIL COMMENTS

EXECUTIVE SESSION

Property Acquisition

ADJOURNMENT


A

NEW WRACKER

LICENSE

2014

**BOROUGH OF SOUTH RIVER  
MIDDLESEX COUNTY  
NEW JERSEY  
08882-1247**



**APPLICATION FOR WRECKER'S LICENSE**

Name of Applicant ARTHUR RIPORE Trade Name Ripore's Auto Mall

Owner, Lessee Ripore's Auto Mall

Address 1615 ENGLISHTOWN Rd OLD BRIDGE NJ. 08853

Phone Number 732 251 8888 FAX 732 251 9394

Name & Address of each Partner 732 307 2478 - DISPATCH TO CALL

If a Partnership; Name, Date, & State under which organized \_\_\_\_\_

If a Corporation; Names of Directors, Principal Officers, & Local Representatives & their business addresses \_\_\_\_\_

If a Foreign Corporation; are you authorized to do business in the State of New Jersey:  
\_\_\_\_\_ Yes \_\_\_\_\_ No

Number of Vehicles 1

Please list below a description of EACH tow vehicle to be utilized in your business:

YEAR	MAKE	MODEL	TYPE	VEHICLE ID#	PROOF OF REG.	PROOF OF INS.
1997	INTERNATIONAL	4700	FLAT BED	WHTS CAB MDVN	475328 YES	YES

*Dispatched 1/23/14*   
EA SUPD

Please list below how long the wrecker has been in use as a wrecker:

YEAR	MAKE	MODEL	HOW LONG IN USE
1997	INTERNATIONAL	FLAT BED	16 YEARS

List below all personnel who are authorized by the applicant to provide services on behalf of the applicant: AUTHORIZED PERSONNEL NEED TO COMPLETE THE ATTACHED FORM AND SUBMIT A COPY OF THEIR DRIVER'S LICENSE WITH DMV ABSTRACT

ARTHUR Ripoti

Proposed rates within Boro Limits ASSET BY TOWNSHIP RATES

Required Insurance: Indemnity for Property Damage-\$10,000 and Personal Injury Not less than \$100,000 and \$300,000. Please attach a copy of insurance policy to this application.

Name of Insurance Company UNIVERSAL UNDERWRITERS TWS Comp

Address 7045 COLLEGE BLVD. OVERLAND PARK 66211

Affidavit of Applicant: I do hereby swear that the above information to be true and Correct to the best of my knowledge.

Arthur Ripoti

(Signature of Applicant)

For Borough Use Only:

Date Filed 1/21/14 Fee Paid 50 Cash/Check # 377

Referred to SRPD: 1/31/14 Date Approved Denied SRPD 2/5/14 Date e.o. #39

License No. Date Issued

License Period will be from January 1<sup>st</sup> through December 31<sup>st</sup> of any year.

Revised 1/14

B

2014

BOROUGH OF SOUTH RIVER  
MIDDLESEX COUNTY  
NEW JERSEY  
08882-1247



RECEIVED

JAN 17 2014

APPLICATION FOR WRECKER'S LICENSE

Name of Applicant George Logan Towing Inc Trade Name SAME BOROUGH CLERK

Owner, Lessee George E. Logan JR

Address 1979 Old Georges Rd North Brunswick 08902

Phone Number 732-297-0391 FAX 732-297-6555

Name & Address of each Partner George + Rosemarie Logan JR  
280 Washington Place  
North Brunswick, N.J. 08902

If a Partnership; Name, Date, & State under which organized Corporation

If a Corporation; Names of Directors, Principal Officers, & Local Representatives & their business addresses George E. Logan JR (Pres)

Rosemarie Logan V.P., Secretary, Treas.

If a Foreign Corporation; are you authorized to do business in the State of New Jersey:  
Yes No

Number of Vehicles Fleet 4

Please list below a description of EACH tow vehicle to be utilized in your business:

YEAR	MAKE	MODEL	TYPE	VEHICLE ID #	PROOF OF REG.	PROOF OF INS.	
30	2011	INTERN	4400	FLATbed	H282038	✓	✓
31	2010	HINO	258	FLATbed	S50335	✓	✓
35	2007	INTERN	4300	FLATbed	H425049	✓	✓
88	2000	Kenworth	T-800	H10 Tow	J846931	✓	✓
<u>Inspected 1/15/2014 EA Sun</u>							

Please list below how long the wrecker has been in use as a wrecker:

YEAR	MAKE	MODEL	HOW LONG IN USE
2011	INTERN	4400	1 yr
2010	HINO	258	3 yr
2007	INTERN	4300	6 yr
2000	KENWORTH	T-800	13 yr

List below all personnel who are authorized by the applicant to provide services on behalf of the applicant:

Attached

Proposed rates within Boro Limits AS/Per South River Boro RATES

Required Insurance: Indemnity for Property Damage-\$10,000 and Personal Injury Not less than \$100,000 and \$300,000. Please attach a copy of insurance policy to this application.

Name of Insurance Company American Family Home INS. Co.

Address 10A Northeast 1451 Rt 34 Suite 101 Farmingdale, N.Y. 07727

Affidavit of Applicant: I do hereby swear that the above information to be true and Correct to the best of my knowledge.

George P. Logans Jr.  
(Signature of Applicant)

For Borough Use Only:

Date Filed 1/15/14 Fee Paid 200 Cash/Check 55039  
 Referred to SRPD: 1/31/14 Approved/Denied SRPD 2/5/14 E.A.  
Date Date  
 License No. \_\_\_\_\_ Date Issued \_\_\_\_\_

License Period will be from January 1<sup>st</sup> through December 31<sup>st</sup> of any year.


Revised 3/10

C

2014

\$500 ~

**BOROUGH OF SOUTH RIVER**  
**MIDDLESEX COUNTY**  
**NEW JERSEY**  
 08882-1247



PHONE # 932 435-0655

APPLICATION FOR WRECKER'S LICENSE

Name of Applicant RICHARD C PARIS Trade Name RICH'S TOWING SERVICE INC

Owner, Lessee \_\_\_\_\_

Address 1099 14<sup>TH</sup> STREET NORTH BRUNSWICK NJ 08902

Name & Address of each Partner NA

If a Partnership; Name, Date, & State under which organized NA

If a Corporation; Names of Directors, Principal Officers, & Local Representatives & their business addresses RICHARD C PARIS  
882 NASSAU ST  
NORTH BRUNSWICK NJ 08902

If a Foreign Corporation; are you authorized to do business in the State of New Jersey: NA  
 Yes \_\_\_\_\_ No \_\_\_\_\_

Number of Vehicles 4

Please list below a description of EACH tow vehicle to be utilized in your business:

YEAR	MAKE	MODEL	TYPE	VEHICLE ID #	PROOF OF REG.	PROOF OF INS.
<u>See Enclosed</u>						
<u>4</u>	<u>Chrysler</u>					
				<u>Suspected</u>	<u>1/10/14</u>	<u>OK</u>

Please list below how long the wrecker has been in use as a wrecker:

YEAR	MAKE	MODEL	HOW LONG IN USE
ALL ATTACHED TOW TRUCKS HAVE			
BEEN WRECKERS SINCE MANUFACTURED			

List below all personnel who are authorized by the applicant to provide services on behalf of the applicant:

SEE ATTACHED DL'S + ABSTRACTS.

---



---

Proposed rates within Boro Limits FOLLOWING TOWNSHIP ORDINANCE

Required Insurance: Indemnity for Property Damage-\$10,000 and Personal Injury Not less than \$100,000 and \$300,000. Please attach a copy of insurance policy to this application.

Name of Insurance Company UTICA MUTUAL INS

Address P.O. BOX 6532 UTICA N.Y. 13504-6532

Affidavit of Applicant: I do hereby swear that the above information to be true and Correct to the best of my knowledge.

Richard C. P...

(Signature of Applicant)

For Borough Use Only:

Date Filed 1/10/14 Fee Paid 200 Cash/Check 5793  
 Referred to SRPD: 1/31/14 Approved / Denied SRPD 2/5/14 EQ. #39  
Date Date  
 License No. \_\_\_\_\_ Date Issued \_\_\_\_\_

License Period will be from January 1<sup>st</sup> through December 31<sup>st</sup> of any year.



RESOLUTION

*WHEREAS, the official utility records of the Borough of South River, New Jersey show certain refunds which include electric, water and consumer deposits (CD); and*

*WHEREAS, the Collector of Utility Revenue recommends that the following refunds should be made to the consumer noted herein below listed; and*

*NOW, THEREFORE BE IT AND IT IS HEREBY RESOLVED by the Borough Council of the Borough of South River that the Collector of Utility Revenue is hereby authorized to make the following refunds and adjustments indicated below and any attached list.*

<u>ACCOUNT #</u>	<u>PAYABLE TO:</u>	<u>AMOUNT OF CHECK</u>
65-999-856-582 CD	J BERRIO & D FRANCIS 246 NORTH 5 <sup>TH</sup> AVE MANVILLE, NJ 08835	\$288.12
66-999-000-381 WTR CURRENT	ROSAMARIA & SEBASTIAN BIANCHI 328 WASHINGTON RD SAYREVILLE, NJ 08872	\$52.39
65-999-001-047 CD	LUIS PEREIRA CARDOSA 26 CLEVELAND AVE SOUTH RIVER, NJ 08882	\$143.82
65-999-897-832 CD	PENNY DALESSANDRIS 42 HOWARD ST HOPELAWN, NJ 08861	\$157.34
65-999-860-025 CD	LARRY GOMEZ 20 ALBOURNE ST 1 <sup>ST</sup> FL SOUTH RIVER, NJ 08882	\$111.32
65-999-995-226 CD	JESSICA KITCHEN 46 WILDWOOD AVE FORDS, NJ 08863	\$67.36
65-999-000-348 CD	CARLOS LOPEZ 27 JACKSON ST APT I SOUTH RIVER, NJ 08882	\$286.25
65-999-860-707 CD	ILIJA MILADINOV & KRISTINA EIDE 158 FEDERAL RD MONROE TOWNSHIP, NJ 08831	\$245.18
65-999-001-268 ELEC CURRENT	DAVID MILLER, ESQ. 3 A AUER CT EAST BRUNSWICK, NJ 08816	\$72.84

65-999-000-509 ELEC CURRENT

HERRISON NASCIMENTO  
8 B EBERWEIN ST  
SOUTH RIVER, NJ 08882

\$42.68

65-999-000-435 CD

SAMANTHA ROVILLOS  
28 CLAREMONT AVE  
SOUTH RIVER, NJ 08882

\$312.05

/s/ \_\_\_\_\_  
Councilmember

/s/ \_\_\_\_\_  
Councilmember

RES: 2014

MARCH 10, 2014

RESOLUTION

*WHEREAS, the official utility records of the Borough of South River, New Jersey show certain adjustments, recessions, amendments, cancellations, corrections, refunds and uncollectibles should be made on certain accounts due to various reasons; and*

*WHEREAS, the Utility Collector recommends these changes as listed; and*

*NOW, THEREFORE BE IT AND IT IS HEREBY RESOLVED that the Borough Utility Collector be and he is authorized to make the necessary adjustments, indicated below and any attached list.*

**UTILITY CUSTOMER**

**ACCOUNT NUMBER                      REASON    AUTH                      YEAR                      AMOUNT**

<i>RIBEIRA, PALMIRA 31 William Street #5 South River, NJ 08882 #65-999-908-106</i>	<i>Elec Credit</i>	<i>Refund</i>	<i>2013</i>	<i>\$41.08</i>
	<i>MUNICIPAL LIFELINE</i>			

DATED:

/s/ \_\_\_\_\_  
Councilmember

/s/ \_\_\_\_\_  
Councilmember

E

**Patricia Oconnor**

---

**From:** Patricia Oconnor  
**Sent:** Thursday, February 06, 2014 1:44 PM  
**To:** Donna Stoddard; Frederick Carr  
**Cc:** Adriano Soares  
**Subject:** RE: 2013 Tonnage Grant Resolution  
Ok...will put on 2/24/14 agenda. Pat

*Pat O'Connor  
Borough Clerk  
Borough of South River  
48 Washington St.  
South River, NJ 08882  
(732) 257-1999, ext. 116  
Fax: (732) 613-6105*

WARNING: Email received by or sent to Borough officials is subject to the Open Public Records Act [OPRA]. This means that absent some specific privilege, all such communications are considered a public record and are subject to publication and/or dissemination to the public upon request.

---

**From:** Donna Stoddard  
**Sent:** Thursday, February 06, 2014 1:12 PM  
**To:** Frederick Carr  
**Cc:** Patricia Oconnor; Adriano Soares  
**Subject:** 2013 Tonnage Grant Resolution

Mr. Carr: Please place the attached on the agenda for either this meeting or the next. This resolution is needed when I submit my Tonnage Grant to DEP.

Pat: This is for the year 2013 - so paragraph 5 needs to be 2013.

Thanks,

*Donna M. Stoddard  
Borough of South River  
Department of Public Works  
9 Ivan Way  
South River, NJ 08882  
732-257-9051*

RESOLUTION AUTHORIZING SUBMISSION OF A  
RECYCLING TONNAGE GRANT APPLICATION

**WHEREAS**, the Mandatory Source Separation and Recycling Act, P.L. 1987, C.102, has established a recycling fund from which tonnage grants may be made to municipalities in order to encourage local source separation and recycling programs; and

**WHEREAS**, it is the intent and spirit of the Mandatory Source Separation and Recycling Act to use the tonnage grants to develop new municipal recycling programs and to continue to expand existing programs; and

**WHEREAS**, the New Jersey Department of Environmental Protection is promulgating recycling regulations to implement the Mandatory Source Separation and Recycling Act; and

**WHEREAS**, the recycling regulations impose on municipalities certain requirements as a condition for applying for tonnage grants, including but not limited to, making and keeping accurate, verifiable records of materials collected and claimed by the municipality; and

**WHEREAS**, a resolution authorizing this municipality to apply for the 2013 Tonnage Grant will memorialize the commitment of this municipality to recycling and indicate the assent of the Borough of South River to the efforts undertaken by the municipality and the requirements contained in the Recycling Act and Recycling Regulations; and

**WHEREAS**, such a resolution should designate the individual authorized to ensure the application is properly completed and timely filed.

**NOW, THEREFORE, IT IS HEREBY RESOLVED** by the Council of the Borough of South River that the Borough of South River hereby endorses the submission of the recycling tonnage grant application to the New Jersey Department of Environmental Protection and designates Donna M. Stoddard to ensure that the application is properly filed;

**BE IT FUTHER RESOLVED** that the monies received from the recycling tonnage grant be deposited in a dedicated recycling trust fund to be used solely for the purpose of recycling.

RECEIVED  
BOROUGH OF SOUTH RIVER  
Freeholder Director

2014 FEB -6 AM 11:32  
Deputy Director

Kenneth Armwood  
Charles Kenny  
H. James Polos  
Charles E. Tomaro  
Blanquita B. Valenti  
Freeholders



F  
FAT Business  
Council  
Agenda  
24 Feb 2014  
Handwritten signature

COUNTY OF MIDDLESEX  
DEPARTMENT OF PUBLIC SAFETY AND HEALTH

Division of Solid Waste Management

H. James Polos  
Chairperson, Public Safety  
and Health Committee

John A. Pulomena  
County Administrator

Joseph W. Krisza  
Department Head

Mickey Gross  
Division Head

January 29, 2014

Mayor John Krenzel  
South River  
S. River Municipal Bldg.  
48 Washington St.  
South River, NJ 08882

Dear Mayor Krenzel:

As you are probably aware, your municipality has previously entered into an interlocal service agreement with Middlesex County providing for your participation in one or more of the County's programs.

Middlesex County will continue to offer your town the opportunity to participate in the E-cycle and CFC Recovery Programs. To this extent, enclosed are two (2) copies of each interlocal service agreement covering the specific programs. If acceptable, two officially executed documents for each program, where applicable (official signatures, municipal seal and a copy of the ordinance or resolution authorizing the execution of the agreement) must be returned to us so that the Board of Chosen Freeholders may approve and execute same. Thereafter, the Clerk of the Board will return to you a fully executed copy.

It is important that all agreements be returned to the Division of Solid Waste Management, 711 Jersey Avenue, New Brunswick, NJ 08901.

Please contact Fred Stanger or myself if you have any questions regarding these programs.

Thank you.

Sincerely,

Carole Tolmachevich  
Principal Planner

cc: Donna Stoddard, Recycling Coordinator  
Patricia O'Connor, Municipal Clerk

Middlesex County... "The Greatest County in the Land"

711 Jersey Avenue, New Brunswick, NJ 08901 • 732-745-4170 • www.co.middlesex.nj.us

Agreement made of this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_, by and between the **County of Middlesex**, a municipal corporation of the State of New Jersey having an address of Middlesex County Administration Building, John F. Kennedy Square, New Brunswick, New Jersey, 08901, hereinafter referred to as the “**County**” and the **Borough of South River** a corporation of the State of New Jersey, having an address of S. River Municipal Bldg. 48 Washington St. South River, NJ 08882, hereinafter referred to as the “**Municipality.**”

**WITNESSETH:**

**WHEREAS**, Middlesex County is proactive in addressing environmental issues such as the proper recycling of consumer electronics; and

**WHEREAS**, effective January 1, 2011, recycling of certain consumer electronics is mandatory in the State of New Jersey; and

**WHEREAS**, the County has entered into a contract with Sims Recycling Solutions to accept residentially generated consumer electronics; and

**WHEREAS**, the County is seeking to provide a financial incentive that will assist municipalities in properly recycling the consumer electronics that they collect curbside or at their drop-off centers; and

**WHEREAS**, the County and Municipality are authorized to enter into this Agreement pursuant to N.J.S.A. 40A:11-5(2);

**NOW, THEREFORE**, in consideration of mutual covenants and conditions between the parties, the sufficiency of which is hereby acknowledged, the County and Municipality hereby agree as follows:

1. The County shall provide a subsidy of the cost of collection, storage, and transportation of covered electronics by the municipality. All covered electronics collected by the municipality must be brought to or picked up by the County’s contractor, Sims Recycling Solutions, 401 Mill Road, Edison, NJ 08837 or other future designated contracted vendor(s). Covered electronics are defined as including computers (desktops and laptops), monitors (cathode-ray tube and flat panel), and televisions (cathode-ray tube and flat panel).
2. All non-covered consumer electronics will be accepted by the County’s contractor at no charge to each municipality, providing that the municipality is delivering/causing to be delivered to the County’s contractor all covered electronics. Non-covered electronics include cell phones, copiers, digital cameras, DVD players, e-book readers, fax machines, keyboards, MP3 players,

modems, mouse's, personal digital assistants (PDAs), printers, scanners, stereo and radio equipment, telephones, VCRs, and any products that contain rechargeable batteries.

3. The Municipality shall collect, store, and transport all consumer electronics in a manner that will prevent weather damage or cause such items to arrive at the Contractor's facility broken.
4. The subsidy for covered electronics will be established by the Middlesex County Division of Solid Waste Management (DSWM) upon determination of the amount of available funding. The DSWM will utilize documentation provided by the contractor to allocate the appropriate amount of funding to each municipality. The subsidy will be provided in February 2015 based upon weight of covered electronics recycled by each municipality in 2014, in February 2016 based upon weight of covered electronics recycled in 2015, and in February 2017 based upon weight of covered electronics recycled in 2016.
5. Municipalities that deliver/cause to be delivered covered electronics to a vendor other than the County's contractor will not be able to participate in the remaining aspects of the contract, including the delivery of consumer electronics and mercury containing devices to the contractor's facility by residents.
6. The Municipality shall hold harmless and save, protect and indemnify, the County, and their respective officials, members, agents and employees from any damages, suits, or claims for damages to persons or property which arise out of the actions or failure to act of the Municipality and/or its employees or agents in carrying out the provisions of this Agreement.
7. This Agreement shall be for a three-year (36 month) period commencing on January 1, 2014 or for such shorter period as may be dictated by the exhaustion of available funds. Any party may terminate this Agreement by providing a thirty (30) day written notice to the other parties hereto.
8. Merger Clause. This Agreement constitutes the entire Agreement and understanding between the parties in relation to its subject matter, and supersedes all previously and contemporaneous agreements, understandings, representations and warranties between the parties.
9. Modifications. The terms and conditions in this Agreement, including any schedules herein or attached hereto, may be modified at any time by mutual agreement of the parties in writing duly signed by their authorized representatives.
10. Notices. Any notice or consent required or permitted hereunder shall be in writing and shall be delivered to the other party by registered or certified mail, return receipt requested, overnight mail, and addressed to the party as set forth below or to such other address as said party may have specified by notice given in writing to the other party:

**To the County:**

County of Middlesex  
Division of Solid Waste Management  
711 Jersey Avenue  
New Brunswick, NJ 08901

**To the Municipality:**

**Borough of South River**  
**S. River Municipal Bldg.**  
**48 Washington St.**  
**South River, NJ 08882**

11. Governing Law. This agreement and any questions concerning its validity, construction and performance shall be governed by the laws of the State of New Jersey.
12. Severability. In the event that any provision of this Agreement, for any reason, shall be determined to be invalid, illegal or unenforceable in any respect, the parties hereto shall negotiate in good faith and agree to such amendments to this Agreement or to such other appropriate actions as, to the maximum extent practicable in light of such determination, shall implement and give effect to the intentions of the parties as reflected herein and any other provisions of this Agreement, as so amended, shall remain in full force and effect.

**IN WITNESS WHEREOF**, the parties have caused this Agreement to be executed by their proper officers and have their proper seals affixed, the day and year first above written.

ATTEST:

COUNTY OF MIDDLESEX

\_\_\_\_\_  
Margaret E. Pemberton, Clerk

\_\_\_\_\_  
Ronald G. Rios, Freeholder Director

ATTEST:

MUNICIPALITY

\_\_\_\_\_  
Patricia O'Connor, Municipal Clerk

\_\_\_\_\_  
John Krenzel, Mayor

Agreement made of this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_, by and between the **County of Middlesex**, a municipal corporation of the State of New Jersey having an address of Middlesex County Administration Building, John F. Kennedy Square, New Brunswick, New Jersey, 08901, hereinafter referred to as the “**County**” and the **Borough of South River**, a corporation of the State of New Jersey, having an address of S. River Municipal Bldg., 48 Washington St., South River NJ 08882, hereinafter referred to as the “**Municipality.**”

**WITNESSETH:**

**WHEREAS**, Middlesex County is proactive in addressing environmental issues such as the depletion of the ozone layer; and

**WHEREAS**, chlorofluorocarbons (CFCs) are one of the manmade chemicals that are known to cause ozone depletion; and

**WHEREAS**, effective November 17, 2007 recycling of white goods including those that contain CFCs is mandatory in Middlesex County; and

**WHEREAS**, the County is seeking to provide a financial incentive that will assist municipalities in properly capturing CFCs from residentially discarded appliances that they collect curbside or at their drop-off centers; and

**WHEREAS**, the County and Municipality are authorized to enter into this Agreement pursuant to N.J.S.A. 40A:11-5(2);

**NOW, THEREFORE**, in consideration of mutual covenants and conditions between the parties, the sufficiency of which is hereby acknowledged, the County and Municipality hereby agree as follows:

1. The County shall provide a subsidy of up to 50% of the cost of each properly documented CFC recovery from a residential appliance assuming the below conditions are met. There is no limit on the number of properly performed/documented CFC recoveries that will be covered during the term of this agreement for the municipality. Annual funding level and/or percentages will be established upon determination of the amount of available funding; funding notices will be mailed to the municipality in January of each year.

2. The Municipality shall select a vendor(s) who employs a person(s) who is trained to recover CFCs. The Municipality will be provided with a list of “preapproved” vendors and may select from that list or choose another authorized party. Vendors not on the County list must be approved by the County before any subsidy is paid. Preapproved vendors will be selected by the

County based upon their compliance with Section 608 of the Federal Clean Air Act – Refrigerant Recycling Rule. The County will examine whether the vendor’s employees are properly trained and if applicable, certified to perform CFC recoveries, and that documentation supporting that the CFCs recovered by the vendor are sent to a USEPA certified reclaimer. In addition, the County reserves the right to visit the vendor’s facility(ies) to verify their CFC recovery process including but not limited to, the equipment the vendor utilizes to recover the CFCs.

3. The Municipality shall follow the regulations set forth in N.J.A.C. 7:26A, Subchapter 5 and not utilize any improper handling or trucking methods/procedures that could cause the discarded appliance to discharge CFCs into the open air.

4. The Municipality shall provide to the Middlesex County Division of Solid Waste Management (DSWM) on a quarterly basis, an invoice with proper supporting documentation indicating the vendor, number of appliances from which CFCs were recovered, and CFC recovery cost per unit. The DSWM will then review this documentation and arrange for the appropriate amount of reimbursement.

5. The Municipality shall hold harmless and save, protect and indemnify, the County, and their respective officials, members, agents and employees from any damages, suits, or claims for damages to persons or property which arise out of the actions or failure to act of the Municipality and/or its employees or agents in carrying out the provisions of this Agreement.

6. This Agreement shall be for a three-year (36 month) period commencing on January 1, 2014 or for such shorter period as may be dictated by the exhaustion of available funds. Any party may terminate this Agreement by providing a thirty (30) day written notice to the other parties hereto.

7. Merger Clause. This Agreement constitutes the entire Agreement and understanding between the parties in relation to its subject matter, and supersedes all previously and contemporaneous agreements, understandings, representations and warranties between the parties.

8. Modifications. The terms and conditions in this Agreement, including any schedules herein or attached hereto, may be modified at any time by mutual agreement of the parties in writing duly signed by their authorized representatives.

9. Notices. Any notice or consent required or permitted hereunder shall be in writing and shall be delivered to the other party by registered or certified mail, return receipt requested, overnight mail, and addressed to the party as set forth below or to such other address as said party may have specified by notice given in writing to the other party:

**To the County:**

County of Middlesex  
Division of Solid Waste Management  
711 Jersey Avenue  
New Brunswick, NJ 08901

**To the Municipality:**

Borough of South River  
S. River Municipal Bldg.  
48 Washington St.  
South River, NJ 08882

120. Governing Law. This agreement and any questions concerning its validity, construction and performance shall be governed by the laws of the State of New Jersey.

121. Severability. In the event that any provision of this Agreement, for any reason, shall be determined to be invalid, illegal or unenforceable in any respect, the parties hereto shall negotiate in good faith and agree to such amendments to this Agreement or to such other appropriate actions as, to the maximum extent practicable in light of such determination, shall implement and give effect to the intentions of the parties as reflected herein and any other provisions of this Agreement, as so amended, shall remain in full force and effect.

**IN WITNESS WHEREOF**, the parties have caused this Agreement to be executed by their proper officers and have their proper seals affixed, the day and year first above written.

ATTEST:

COUNTY OF MIDDLESEX

\_\_\_\_\_  
Margaret Pemberton, Clerk

\_\_\_\_\_  
Ronald G. Rios, Freeholder Director

ATTEST:

MUNICIPALITY

\_\_\_\_\_  
Patricia O'Connor, Municipal Clerk

\_\_\_\_\_  
John Krenzel, Mayor

Summary

G

Agenda  
New  
BUSINESS  
CAPITAL  
ORD

Fred

1st  
Reading

2nd  
Reading  
10/11/12  
Fred

Number of Units	Budgetary Costs	\$150.00	\$60.00	\$250.00	\$950.00
Location	Total Systems	OS Upgrades	RAM Upgrades	Office Upgrades	New Systems
48 Washington St	31	11	8	11	8
Fire Prevention	4	2		2	2
SRPD - PCs	26	23		23	1*
SRPD - Mobiles	13	11	10		
Fire Dept - PCs	6	1	1	1	
Fire Dept - Mobiles	7	3	3		**
Rescue Squad - PCs	1	1	1	1	
Rescue Squad - Mobiles	4	3			
DPW	3			3	
Reid Street	14	14	14	14	
Totals	109	69	37	55	11

Total Costs	Total Systems	OS Upgrades	RAM Upgrades	Office Upgrades	New Systems	
48 Washington St		\$1,650.00	\$480.00	\$2,750.00	\$7,600.00	
Fire Prevention		\$300.00	\$0.00	\$500.00	\$1,900.00	
SRPD - PCs		\$3,450.00	\$0.00	\$5,750.00	\$2,000.00	
SRPD - Mobiles		\$1,650.00	\$600.00	\$0.00	\$0.00	
Fire Dept - PCs		\$150.00	\$60.00	\$250.00	\$0.00	
Fire Dept - Mobiles		\$450.00	\$180.00	\$0.00	\$0.00	
Rescue Squad - PCs		\$150.00	\$60.00	\$250.00	\$0.00	
Rescue Squad - Mobiles		\$450.00	\$0.00	\$0.00	\$0.00	
DPW		\$0.00	\$0.00	\$750.00	\$0.00	
Reid Street		\$2,100.00	\$840.00	\$3,500.00	\$0.00	
Totals		\$10,350.00	\$2,220.00	\$13,750.00	\$11,500.00	\$37,820.00

Installation Hours	1.5	104	0	0	17	
Installation Costs	\$125.00	\$12,937.50	\$0.00	\$0.00	\$2,062.50	\$15,000.00
						\$52,820.00

Additional Items	Amount	Install	
Sonicwall Firewalls			
Washington Street-tz215	\$2,100	\$250.00	\$2,350.00
SRPD-tz215	\$2,100	\$250.00	\$2,350.00
Reid St-tz215	\$2,100	\$250.00	\$2,350.00
			\$7,050.00


Gigabit Switches-48 Port			
Washington Street	\$800.00		
SRPD	\$800.00		
			\$1,600.00
			\$61,470.00

\$70,000.00

- \* Does not include all Training Room PCs
- \*\* Does not include Datalux terminal in fire engines.
- \*\*\* PC is higher end for Mobile Switch Communications

20 - SOFT costs  
50 - HARD costs

Copy to Budget  
CAPITAL ORD



48 Wash

Department	PC Name	User	PC Model	OS	RAM	Notes
Administration	GADMIN	Douglas Jones	HP Compaq 6000 Pro MT	Windows XP Professional	2.00GB	Already Has Win 7 license, upgrade to 4GB RAM
Administration	MAVORCOFFIC		Gateway (E5300)	Windows XP Professional	512 MB	
Administration	SRBORO-ADMIN	Frederick Carr	HP Probook 4540s	Windows XP Professional		Already Has Win 7 license
Administration	SR-LT1	John Krenzle	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Administration	SR-LT2	Mike Trenga	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Administration	SR-LT3	Tom Roselli	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Administration	SR-LT4	Jim Hutchison	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Administration	SR-LT5	Peter Guindi	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Administration	SR-LT6	Shawn Hausserman	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Administration	SR-LT7	Jim Jones	Dell Latitude E5530	Windows 7 Professional	4.00GB	
Clerk	D211TR1	Sheryl Rignin	Dell OptiPlex 361	Windows XP Professional	4.00GB	
Clerk	PC-D211TR2	Barbara Winger	Dell OptiPlex 361	Windows XP Professional	4.00GB	
Clerk	CLEAR3	Receptionist	Gateway	Windows XP Professional	512MB	
Construction	D630-3366GH1	Ronnie A. Zarnoff	Dell Latitude D630	Windows XP Professional	2.00GB	Upgrade RAM to 4GB
Construction	CONSTRUCTION3	William Roman	Gateway (E-2300)	Windows XP Professional	2.00GB	
Construction	UCC1	Glenn Lauritsen	Dell OptiPlex 3010	Windows 7 Professional	4.00GB	
Construction	UCC2	Joanne Calvo	Dell OptiPlex 3010	Windows 7 Professional	4.00GB	
Finance	FINANCE1	Dawn Rodriguez	HP Compaq 6000 Pro MT	Windows XP Professional	2.00GB	Already Has Win 7 license, upgrade to 4GB RAM
Finance	DELL-339KGH1	Teri Zahnd	Dell OptiPlex 330	Windows XP Professional	2.00GB	Upgrade RAM to 4GB
Finance	DELL-339KGH2	Rick Duda	Dell OptiPlex 330	Windows XP Professional	2.00GB	Upgrade RAM to 4GB
Health	CODENFORCOR	Health Dept	Gateway			
GOA	GOADIB1	Kim Bell	Dell OptiPlex 745	Windows XP Professional	4.00GB	
GOA	SR-LT6	Anna Gawel	Dell Latitude D600	Windows XP Professional	768MB	
Parks	PARKS-PC2	Laketa Thomas	Dell OptiPlex 330	Windows XP Professional	2.00GB	Upgrade RAM to 4GB
Utilities	D839KGH1	Debra Gill	Dell OptiPlex 330	Windows XP Professional	2.00GB	Upgrade RAM to 4GB
Utilities	A89KGH1		Dell OptiPlex 330	Windows XP Professional	2.00GB	Upgrade RAM to 4GB
Utilities	SRBORO-UTIL01	Joni O'Brien	HP Compaq 6000 Pro MT	Windows 7 Professional	4.00GB	
Utilities	UTILITY2	Patricia Januszewski	Gateway (MIDWAY)	Windows XP Professional	1.00GB	
Utilities	UTILITY7	Laura Kahse	HP Compaq 6300 Pro MT	Windows 7 Professional	4.00GB	
Utilities	UTILITY8	Patricia Januszewski		Windows 7 Professional	4.00GB	
Utilities	UTILITYIRON3			Windows 7 Professional		
Fire Prevention	SRFD-PC1		Dell OptiPlex 755	Windows XP Professional		
Fire Prevention	SRFD-PC2		Dell OptiPlex 755	Windows XP Professional		
Fire Prevention	SRFD-PC3		Gateway Laptop	Windows XP Professional		
Fire Prevention	SRFD-PC4		Gateway Laptop	Windows XP Professional		

# SRPD

Department	PC Name	User	PC Model	OS	RAM
Administration		Mark Timigan	Dell OptiPlex 745	Windows XP Professional	4.00GB
Administration		Mark Timigan	HP Laptop		
Administration		John McKenna	Dell OptiPlex 745	Windows XP Professional	4.00GB
Administration		John Casey	Dell OptiPlex GX520	Windows XP Professional	4.00GB
Detective		Robert McLoskey	Dell OptiPlex 745	Windows 7 Professional	4.00GB
Detective		Peter Roselli	Dell OptiPlex GX520	Windows 7 Professional	4.00GB
Detective			Dell OptiPlex GX520	Windows 7 Professional	4.00GB
Detective		Joe Ziskowski	Dell OptiPlex GX520	Windows 7 Professional	4.00GB
Detective		Joe Giamano	Dell OptiPlex GX520	Windows 7 Professional	4.00GB
Patrol			Dell OptiPlex GX520	Windows 7 Professional	4.00GB
Patrol			Dell OptiPlex GX520	Windows 7 Professional	4.00GB
Records		Dine Nele	Dell OptiPlex GX520	Windows XP Professional	4.00GB
Records			Dell OptiPlex GX520	Windows XP Professional	4.00GB
Records		Cindy	Dell OptiPlex GX520	Windows XP Professional	4.00GB
Booking			Dell OptiPlex GX520	Windows XP Professional	4.00GB
Traffic		Ed Avallon	Dell OptiPlex GX520	Windows XP Professional	4.00GB
Traffic		Ed Yorek	Dell OptiPlex GX520	Windows XP Professional	4.00GB
Dispatch		Station1	HP PC	Windows 7 Professional	4.00GB
Dispatch		Station2	HP PC	Windows 7 Professional	4.00GB
Dispatch			Dell OptiPlex GX520	Windows XP Professional	4.00GB
Dispatch		Spare	Dell OptiPlex GX520	Windows XP Professional	4.00GB
Mobile Switch			Dell OptiPlex GX520	Windows XP Professional	2.00GB
Training					
Training					
Training					

Mobiles

Department	Vehicle	System	RAM	Operating System	Notes
Police	Baker 1	Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police	Baker 2	Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police	Baker 3	CF-31	4.0GB	Windows 7 Professional	
Police	Baker 4	CF-31	4.0GB	Windows 7 Professional	
Police	Baker 5	CF-31	4.0GB	Windows 7 Professional	
Police	Baker 6	Datalux	2.0GB	Windows XP Professional	Upgrade to Windows 7
Police	Baker 8	CF-30	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police	Baker 14	Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police	Baker 15	Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police	Baker 16	Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Rescue Squad	544	CF-19	2.50GB	Windows XP Professional	Upgrade to Windows 7
Rescue Squad	545	CF-19	2.50GB	Windows XP Professional	Upgrade to Windows 7
Rescue Squad	546	CF-19	2.50GB	Windows XP Professional	Upgrade to Windows 7
Rescue Squad	547	CF-19	4.00GB	Windows 7 Professional	
Fire Dept	Chief1	CF-74	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Fire Dept	Chief2	CF-74	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Fire Dept	Chief3	CF-74	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Fire Dept	Ladder1	Datalux	0.5GB	Windows XP Professional	Not in use, leave as spare
Fire Dept	Engine2	Datalux	0.5GB	Windows XP Professional	Not in use, leave as spare
Fire Dept	Engine5	Datalux	0.5GB	Windows XP Professional	Not in use, leave as spare
Fire Dept	Engine3				
Fire Dept	Engine4	Datalux	0.5GB	Windows XP Professional	Not in use, leave as spare
Fire Prevention		CF-19	0.5GB	Windows XP Professional	Unsure if in use
Spare					
Police		CF-30	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police		Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police		Datalux	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM
Police		CF-19	0.5GB	Windows XP Professional	Upgrade to Windows 7, Upgrade RAM

Reid Street

PC Namer	Type	Description	Model	Serial/Service Tag
LABPC1	Computer	Lab PC	Dell Optiplex 330	H0SN1J1
LABPC2	Computer	Lab PC	Dell Optiplex 330	J0SN1J1
LABPC3	Computer	Lab PC	Dell Optiplex 330	11SN1J1
LABPC4	Computer	Lab PC	Dell Optiplex 330	61SN1J1
LABPC5	Computer	Lab PC	Dell Optiplex 330	51SN1J1
LABPC6	Computer	Lab PC	Dell Optiplex 330	G0SN1J1
LABPC7	Computer	Lab PC	Dell Optiplex 330	21SN1J1
LABPC8	Computer	Lab PC	Dell Optiplex 330	71SN1J1
OOAPC2	Computer		Dell Optiplex 330	G29KGH1
OOAPC3	Computer		Dell Vostro 220	31SN1J1
OOAPC4	Computer	Lab PC (1 on 1 lab)	Dell Vostro 220	41SN1J1
PARKSPC1	Computer	REMOVED (Police)	Dell Optiplex 330	
PARKSPC3	Computer		Dell Optiplex 330	21N8VK1
TV35PC1	Computer		Dell Optiplex 330	339KGH1

H  
**Patricia Oconnor**

---

**From:** Frederick Carr  
**Sent:** Tuesday, February 18, 2014 9:33 AM  
**To:** Patricia Oconnor  
**Subject:** FW: Snow Removal - NOT squad related

New business for discussion on agenda.

Snow Removal.

Thanks

Frederick C. Carr  
Borough Administrator  
Borough of South River  
48 Washington Street  
South River, NJ 08882  
(732) 257 - 1999 ext. 120  
(848) 992 - 6357 (Cell)

WARNING: Email received by or sent to Borough officials is subject to the Open Public Records Act [OPRA]. This means that absent some specific privilege, all such communications are considered a public record and are subject to publication and/or dissemination to the public upon request.

-----Original Message-----

**From:** John Krenzel  
**Sent:** Monday, February 17, 2014 5:41 PM  
**To:** 'whodges@southriverrescue.com'; Frederick Carr  
**Subject:** Re: Snow Removal - NOT squad related

Fred:

Put this on the agenda to discuss.

----- Original Message -----

**From:** Wayne Hodges <whodges@southriverrescue.com>  
**To:** John Krenzel; Frederick Carr  
**Sent:** Mon Feb 17 17:35:52 2014  
**Subject:** Snow Removal - NOT squad related


Mr. Krenzel & Mr. Carr,

Is there the possibility of looking into snow clean up ordinances that would force cars off of the roads during normal business hours following the storm days so the streets can be cleared of the snow on the road. I live on June st., which with 1 side of the street parking 2 cars can just barely pass eachother on the road. Now with all this snow june st is a single lane road cause of all the snow on the one side.

Whether the schedule for road cleaning followed the garbage pickup grouping or some other method.

Thank you,

Wayne Hodges, Resident



JOHN H. ALLGAIR, 1983-01  
DAVID J. SAMUEL, P.E., P.P.  
JOHN J. STEFANI, P.E., L.S., P.P.  
JAY B. CORNELL, P.E., P.P.  
MICHAEL J. McCLELLAND, P.E., P.P.  
GREGORY R. VALES, P.E., P.P.

TIMOTHY W. GILLEN, P.E., P.P.  
BRUCE M. KOCH, P.E., P.P.  
LOUIS J. PLOSKONKA, P.E.  
TREVOR J. TAYLOR, P.E., P.P.  
BEHRAM TURAN, P.E.

February 21, 2014

Mr. Frederick Carr, Borough Administrator  
Borough of South River  
48 Washington Street  
South River, New Jersey 08882

**Re: Proposal for Firehouse Redevelopment Site  
Fink Property & KOC Site  
Remedial Investigation & Remedial Action Workplan  
Block 264.01, Lots 1, 6.01 and 12  
South River, New Jersey  
Our File No.: PSR00002.E1/PSR00542.01  
ISR00278.01**

Dear Mr. Carr:

CME Associates (CME) is pleased to submit for your consideration this proposal to provide LSRP services related to remediation of the proposed Firehouse Redevelopment Site (Block 264.01 Lots 1, 6.01 and 12) in the Borough of South River. CME previously prepared the following reports for the properties:

- Preliminary Assessment Report – Block 26.01 Lot 1 (April 2013)
- Preliminary Assessment Report – Block 26.01 Lots 6.01 & 12 (April 2013)
- Limited Site Investigation Report – Block 26.01 Lot 1 (October 2013)
- Limited Site Investigation Report – Block 26.01 Lots 6.01 & 12 (October 2013)

In addition, an asbestos survey of the KOC building on Lots 6.01 and 12 was conducted as documented in the October 21, 2013 Asbestos Assessment and Universal Waste Inspection report prepared by Environmental Connection, Inc.

CME understands that the Borough of South River plans to demolish the existing buildings on the properties and construct a new firehouse facility. This proposal is for implementation of a remedial investigation and preparation of a Remedial Action Workplan for the proposed redevelopment. The identified areas of concern will be investigated and evaluated in accordance with the Administrative Requirements of the Remediation of Contaminated Sites (NJAC 7:26C) and the Technical Requirements for Site Remediation (NJAC 7:26E).

#### Scope of Work

##### Task 1: LSRP Administration

Pursuant to the Administrative Requirements for the Remediation of Contaminated Sites (NJAC 7:26C), the entity responsible for conducting remediation must retain a Licensed Site Remediation Professional (LSRP) to oversee and direct all remedial activities. CME will notify the NJDEP that the Borough of South River has retained Behram Turan, P.E., LSRP to oversee the remedial activities at Block 264.01 Lots 1, 6.01, and 12.

This task also includes the following.





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – RI & RAW  
February 21, 2014  
Page 2 of 6

### Annual Remediation Fee

The NJDEP Annual Remediation Fee for the site is estimated at \$2,300 based on the number of contaminated areas of concern and regulated USTs, and assuming groundwater impacts. This cost proposal includes electronic filing of the fee form and payment for a one-year period. Note that if impacts to media other than soil and groundwater are identified at the site, the fee amount will increase.

### Public Notification Update

A public notification sign will be installed at the site in accordance with NJAC 7:26C-1.7(h). CME will notify the NJDEP, municipal clerk, County health department, and local health department in accordance with regulations.

**Estimated Fee for Services..... \$ 3,450**  
***This fee includes estimated direct costs of \$150 and estimated regulatory fees of \$2,300.***

### **Task 2: Remedial Investigation**

Previous investigations identified contamination at levels exceeding the applicable remediation standards. A remedial investigation of the identified areas of concern will be conducted in accordance with the Technical Requirements for Site Remediation (NJAC 7:26E) and applicable NJDEP guidance. Based on the findings presented in the Limited Site Investigation Reports (October 2013), CME will conduct additional onsite soil and groundwater sampling to evaluate the extent of contamination.

The remedial investigation will be conducted prior to any site remediation or demolition activities. It is assumed that full access to the property will be available to complete the proposed investigation, including interior spaces. Samples will be collected in conformance with the NJDEP Field Sampling Procedures Manual (August 2005). All samples will be analyzed in a State certified laboratory with standard turnaround time.

### Soil Sampling

CME will retain a Geoprobe operator to perform direct-push borings to screen soil conditions and collect soil samples for laboratory analysis. It is assumed that the soil sampling will be completed in two (2) field days. Soils will be screened for volatile emissions with a photo-ionization detector (PID). Soil sample locations will be recorded using handheld GPS equipment.

- Ten (10) discrete soil samples will be collected for analysis of volatile organic compounds (VO+15) in the gasoline UST area of concern on Lot 1.





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – RI & RAW  
February 21, 2014  
Page 3 of 6

- Four (4) discrete soil samples will be collected for analysis of Category 1 EPH with contingency analyses for naphthalene and 2-methylnaphthalene in the heating oil UST area of concern on Lot 1.
- Four (4) discrete soil samples will be collected in the hydraulic lift area of concern on Lot 1 for analysis of Extracted Petroleum Hydrocarbons (EPH) and PAHs.
- Ten (10) discrete soil samples will be collected in the hydraulic lift area of concern on Lot 1 for analysis of PAHs, TAL metals, and SPLP metals in the staging and storage area on Lot 1.
- Ten (10) discrete soil samples will be collected for analysis of Category 1 EPH with contingency analyses for naphthalene and 2-methylnaphthalene in the heating oil UST area of concern on Lot 12.

#### Preliminary Groundwater Sampling

A preliminary investigation will be conducted to screen potential impacts to groundwater in the areas of soil contamination. Groundwater samples will be collected using temporary well points installed in direct-push boreholes. CME will retain a Geoprobe operator to perform direct-push borings. It is assumed that the preliminary groundwater sampling will be completed in one (1) field day. Eight (8) groundwater samples will be collected for analysis of volatile organic compounds (VO+15) and semi-volatile organic compounds (BN+15).

#### Monitoring Well Installation and Groundwater Sampling (If Needed)

If the preliminary sampling indicates that contaminants may be present in groundwater at concentrations above remediation standards, then CME will retain a licensed driller to install three (3) monitoring wells on the site. CME will retain a licensed driller to install 2-inch diameter PVC wells in accordance with the applicable regulations. We anticipate that the wells will be installed to approximately 20 feet bgs. Two (2) rounds of groundwater samples will be collected from each of the monitoring wells. Each groundwater sample will be analyzed for VO+15, MTBE, TBA, and BN+15. One aqueous trip blank will accompany each lab bottle shipment and be analyzed for VOCs.

Drill cuttings and development/purge water will be placed in drums and properly disposed at a licensed offsite facility. Monitoring wells will be survey-located by a professional licensed surveyor. Analytical results will be compared to the Class IIA Ground Water Quality Standards (NJAC 7:9C).

***Estimated Fee for Services..... \$ 39,300***  
***This fee includes estimated subcontractor and direct costs of \$23,975.***





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – RI & RAW  
February 21, 2014  
Page 4 of 6

### **Task 3: Remedial Investigation Report and Remedial Action Workplan**

A Remedial Investigation Report (RIR) and Remedial Action Workplan (RAW) will be prepared in accordance with the NJAC 7:26E. The RIR will document the investigation methods and findings. The RIR will include a technical overview of the investigation, sample location plans, boring logs, analytical summary tables, laboratory reports, electronic data deliverables, and findings and recommendations for remediation.

A RAW will be prepared in accordance with NJAC 7:26E-5.5 to specify a remedial approach for soil contamination that is consistent with the proposed site plan for redevelopment. The RAW will include the applicable remediation standards, a detailed description of the remediation, site plans defining remedial limits, a post-remedial sampling plan, a health and safety plan, a quality assurance plan, and specifications for site restoration.

The RIR-RAW will be attached to the contract bid documents for the demolition and remediation phase of the redevelopment project.

***Estimated Fee for Services..... \$ 11,250***

### **Task 4: Receptor Evaluation**

CME will conduct a Receptor Evaluation and complete the applicable NJDEP form and attachments in accordance with NJAC 7:26E-1.12 et seq. Based on the remedial investigation findings, the receptor evaluation may include a well search pursuant to NJAC 7:26E-1.14. The receptor evaluation will be submitted to the NJDEP.

***Estimated Fee for Services..... \$ 2,050***

### **Task 5: Soil Erosion and Sediment Control Plan**

CME will prepare Soil Erosion and Sediment Control (SESC) plans for the demolition and remediation phase of the redevelopment project, and submit the plans to the Freehold Area Soil Conservation District for certification. This task includes the SESC plan certification application fee.

***Estimated Fee for Services..... \$ 5,500***  
***This fee includes an estimated application fee of \$975.***





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – RI & RAW  
February 21, 2014  
Page 5 of 6

### **Budget**

The total estimated cost to complete the proposed scope of work is **\$61,550**, as indicated for each task outlined above.

The total estimated cost includes an estimated **\$24,125** in subcontracted fees (drilling, laboratory, and rental field equipment). In addition there is **\$3,275** in estimated regulatory fees. The budget contained in this proposal is the firm's best estimate of the effort required to carry out the project as outlined in the Scope of Work. However, the client will be billed for the actual work performed to implement the Scope of Work. In no event will the client be billed or work performed in excess of the proposal amount without client's prior approval.

### **Limitations**

The scope of work is limited to the tasks specified above. Based on the findings of the remedial investigations and post-remedial sampling, further investigation and/or remediation may be required to comply with the Technical Requirements for Site Remediation (NJAC 7:26E). This proposal does not include preparation of a site plan for the proposed redevelopment. The proposed LSRP services do not include oversight of the remedial action or demolition activities, or the issuance of a RAO for the site. Based on the findings of the remedial investigations and post-remedial sampling, CME will prepare an additional scope of work to complete the remedial activities, and a separate cost proposal will be submitted for the Borough's consideration.

### **SPECIAL CONDITIONS FOR LSRP SERVICES**

- The enactment of the Site Remediation Reform Act (SRRRA; N.J.S.A. 58:10C-1 et seq) on May 7, 2009, and the adoption of the Administrative Requirements for the Remediation of Contaminated Sites (ARRCS; N.J.A.C. 7:26C) on November 4, 2009 require that all new remediation cases follow the provisions of SRRRA. A key requirement of these rules is that a Licensed Site Remediation Professional (LSRP) must oversee all new remediation cases.
- The ARRCS requires the person responsible for conducting a remediation to notify the NJDEP of any confirmed discharges of contaminants or condition of Immediate Environmental Concern ("IEC"). Please note that being an LSRP, as a State licensed professional, I will thus have the obligation to report any such conditions to the NJDEP without obtaining any prior approval from the client.
- LSRP will provide the required services in accordance with SRRRA and has the obligation to submit, maintain and preserve the relevant documents.





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – RI & RAW  
February 21, 2014  
Page 6 of 6

- LSRP is not responsible for client's failure to disclose relevant information, perform SRRA obligations, fund remediation, and follow LSRP's recommended actions. Client's failure to perform these obligations may result in fines/penalties by the NJDEP.
- The issuance of RAO by LSRP is not a guarantee or warranty that the site is free of contamination, or that it will be accepted by the NJDEP.
- NJDEP may audit the RAO within three (3) years after the date the LSRP filed the RAO with the NJDEP. LSRP is not responsible for additional requirements imposed by NJDEP after review/audit, except to the extent they arise out of LSRP's negligence.

Should you have any questions regarding this matter, please do not hesitate to contact this office.

Very truly yours,

Bruce M. Koch, P.E., P.P., C.M.E.  
Borough Engineer's Office

BMK/mdp

cc: Mayor John Krenzel  
All Council Members  
Borough Attorney  
Borough Clerk  
Chief Financial Officer





JOHN H. ALLGAIR, 1983-01  
DAVID J. SAMUEL, P.E., P.P.  
JOHN J. STEFANI, P.E., L.S., P.P.  
JAY B. CORNELL, P.E., P.P.  
MICHAEL J. McCLELLAND, P.E., P.P.  
GREGORY R. VALES, P.E., P.P.

TIMOTHY W. GILLEN, P.E., P.P.  
BRUCE M. KOCH, P.E., P.P.  
LOUIS J. PLOSKONKA, P.E.  
TREVOR J. TAYLOR, P.E., P.P.  
BEHRAM TURAN, P.E.

February 21, 2014

Mr. Frederick Carr, Borough Administrator  
Borough of South River  
48 Washington Street  
South River, New Jersey 08882

**Re: Proposal for Firehouse Redevelopment Site  
Fink Property & KOC Site  
Remedial Investigation & Remedial Action Workplan and  
Additional Professional Engineering Services  
Block 264.01, Lots 1, 6.01 and 12  
South River, New Jersey  
Our File No.: PSR00002.E1/PSR00542.01  
ISR00278.01**

Dear Mr. Carr:

CME Associates (CME) is pleased to submit for your consideration this proposal to provide Engineering and LSRP services related to remediation of the proposed Firehouse Redevelopment Site (Block 264.01 Lots 1, 6.01 and 12) in the Borough of South River. CME previously prepared the following reports for the properties:

- Preliminary Assessment Report – Block 26.01 Lot 1 (April 2013)
- Preliminary Assessment Report – Block 26.01 Lots 6.01 & 12 (April 2013)
- Limited Site Investigation Report – Block 26.01 Lot 1 (October 2013)
- Limited Site Investigation Report – Block 26.01 Lots 6.01 & 12 (October 2013)

In addition, an asbestos survey of the KOC building on Lots 6.01 and 12 was conducted as documented in the October 21, 2013 Asbestos Assessment and Universal Waste Inspection report prepared by Environmental Connection, Inc.

CME understands that the Borough of South River plans to demolish the existing buildings on the properties and construct a new firehouse facility. This proposal is for Professional Services related to the demolition and remediation activities for the proposed redevelopment.

### Scope of Work

#### Task 1: LSRP Administration

Pursuant to the Administrative Requirements for the Remediation of Contaminated Sites (NJAC 7:26C), the entity responsible for conducting remediation must retain a Licensed Site Remediation Professional (LSRP) to oversee and direct all remedial activities. CME will notify the NJDEP that the Borough of South River has retained Behram Turan, P.E., LSRP to oversee the remedial activities at Block 264.01 Lots 1, 6.01, and 12.

This task also includes the following.





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 2 of 8

### Annual Remediation Fee

The NJDEP Annual Remediation Fee for the site is estimated at \$2,300 based on the number of contaminated areas of concern and regulated USTs, and assuming groundwater impacts. This cost proposal includes electronic filing of the fee form and payment for a one-year period. Note that if impacts to media other than soil and groundwater are identified at the site, the fee amount will increase.

### Public Notification Update

A public notification sign will be installed at the site in accordance with NJAC 7:26C-1.7(h). CME will notify the NJDEP, municipal clerk, County health department, and local health department in accordance with regulations.

***Estimated Fee for Services..... \$ 3,450***  
***This fee includes estimated direct costs of \$150 and estimated regulatory fees of \$2,300.***

### **Task 2: Remedial Investigation**

Previous investigations identified contamination at levels exceeding the applicable remediation standards. A remedial investigation of the identified areas of concern will be conducted in accordance with the Technical Requirements for Site Remediation (NJAC 7:26E) and applicable NJDEP guidance. Based on the findings presented in the Limited Site Investigation Reports (October 2013), CME will conduct additional onsite soil and groundwater sampling to evaluate the extent of contamination.

The remedial investigation will be conducted prior to any site remediation or demolition activities. It is assumed that full access to the property will be available to complete the proposed investigation, including interior spaces. Samples will be collected in conformance with the NJDEP Field Sampling Procedures Manual (August 2005). All samples will be analyzed in a State certified laboratory with standard turnaround time.

### Soil Sampling

CME will retain a Geoprobe operator to perform direct-push borings to screen soil conditions and collect soil samples for laboratory analysis. It is assumed that the soil sampling will be completed in two (2) field days. Soils will be screened for volatile emissions with a photo-ionization detector (PID). Soil sample locations will be recorded using handheld GPS equipment.

- Ten (10) discrete soil samples will be collected for analysis of volatile organic compounds (VO+15) in the gasoline UST area of concern on Lot 1.





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 3 of 8

- Four (4) discrete soil samples will be collected for analysis of Category 1 EPH with contingency analyses for naphthalene and 2-methylnaphthalene in the heating oil UST area of concern on Lot 1.
- Four (4) discrete soil samples will be collected in the hydraulic lift area of concern on Lot 1 for analysis of Extracted Petroleum Hydrocarbons (EPH) and PAHs.
- Ten (10) discrete soil samples will be collected in the hydraulic lift area of concern on Lot 1 for analysis of PAHs, TAL metals, and SPLP metals in the staging and storage area on Lot 1.
- Ten (10) discrete soil samples will be collected for analysis of Category 1 EPH with contingency analyses for naphthalene and 2-methylnaphthalene in the heating oil UST area of concern on Lot 12.

#### Preliminary Groundwater Sampling

A preliminary investigation will be conducted to screen potential impacts to groundwater in the areas of soil contamination. Groundwater samples will be collected using temporary well points installed in direct-push boreholes. CME will retain a Geoprobe operator to perform direct-push borings. It is assumed that the preliminary groundwater sampling will be completed in one (1) field day. Eight (8) groundwater samples will be collected for analysis of volatile organic compounds (VO+15) and semi-volatile organic compounds (BN+15).

#### Monitoring Well Installation and Groundwater Sampling (If Needed)

If the preliminary sampling indicates that contaminants may be present in groundwater at concentrations above remediation standards, then CME will retain a licensed driller to install three (3) monitoring wells on the site. CME will retain a licensed driller to install 2-inch diameter PVC wells in accordance with the applicable regulations. We anticipate that the wells will be installed to approximately 20 feet bgs. Two (2) rounds of groundwater samples will be collected from each of the monitoring wells. Each groundwater sample will be analyzed for VO+15, MTBE, TBA, and BN+15. One aqueous trip blank will accompany each lab bottle shipment and be analyzed for VOCs.

Drill cuttings and development/purge water will be placed in drums and properly disposed at a licensed offsite facility. Monitoring wells will be survey-located by a professional licensed surveyor. Analytical results will be compared to the Class IIA Ground Water Quality Standards (NJAC 7:9C).

**Estimated Fee for Services..... \$ 39,300**  
***This fee includes estimated subcontractor and direct costs of \$23,975.***





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 4 of 8

### **Task 3: Remedial Investigation Report and Remedial Action Workplan**

A Remedial Investigation Report (RIR) and Remedial Action Workplan (RAW) will be prepared in accordance with the NJAC 7:26E. The RIR will document the investigation methods and findings. The RIR will include a technical overview of the investigation, sample location plans, boring logs, analytical summary tables, laboratory reports, electronic data deliverables, and findings and recommendations for remediation.

A RAW will be prepared in accordance with NJAC 7:26E-5.5 to specify a remedial approach for soil contamination that is consistent with the proposed site plan for redevelopment. The RAW will include the applicable remediation standards, a detailed description of the remediation, site plans defining remedial limits, a post-remedial sampling plan, a health and safety plan, a quality assurance plan, and specifications for site restoration.

The RIR-RAW will be attached to the contract bid documents for the demolition and remediation phase of the redevelopment project.

**Estimated Fee for Services..... \$ 11,250**

### **Task 4: Receptor Evaluation**

CME will conduct a Receptor Evaluation and complete the applicable NJDEP form and attachments in accordance with NJAC 7:26E-1.12 et seq. Based on the remedial investigation findings, the receptor evaluation may include a well search pursuant to NJAC 7:26E-1.14. The receptor evaluation will be submitted to the NJDEP.

**Estimated Fee for Services..... \$ 2,050**

### **Task 5: Soil Erosion and Sediment Control Plan**

CME will prepare Soil Erosion and Sediment Control (SESC) plans for the demolition and remediation phase of the redevelopment project, and submit the plans to the Freehold Area Soil Conservation District for certification. This task includes the SESC plan certification application fee.

**Estimated Fee for Services..... \$ 5,500**

**This fee includes an estimated application fee of \$975.**





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 5 of 8

### **Task 6: Contract Documents and Specifications**

It is assumed that the Borough will retain a qualified demolition and remediation contractor through an open bid process. CME will prepare bid documents for the demolition and remediation project, including technical specifications, contract drawings, bid forms, and engineering cost estimate.

***Estimated Fee for Services..... \$9,500***

### **Task 7: Bid Phase Services**

CME will provide bid phase services to assist the Borough in obtaining a qualified contractor to perform the proposed demolition and remediation work. This task will include an onsite pre-bid meeting for potential bidders, preparation of contract addenda if required, and bid evaluation and recommendation.

***Estimated Fee for Services..... \$ 4,000***

### **Task 8: UST Closure Oversight**

CME will coordinate with the NJDEP to determine if the suspected gasoline UST abandoned on Block 264.01 Lot 1 is unregistered and therefore needs to be registered in accordance with the regulations for Underground Storage Tanks (NJAC 7:14B). CME will register the tank and update the facility questionnaire if needed, and submit the closure notification form to the NJDEP.

Two (2) USTs will be removed: an estimated 550-gallon gasoline tank on Lot 1 and an estimated 1,000 to 2,000-gallon heating oil tank on Lot 12. It is assumed that the contractor retained by the Borough will properly remove the tanks in accordance with all applicable local and State regulations, and in accordance with the contract specifications.

CME will provide oversight of all field activities and document the UST closures. This proposal assumes that the Contractor will complete the tank removal activities in three (3) field days. Immediately upon removal, CME will inspect and document the condition of the tank and screen the soils in the excavation. The excavation floor and sidewalls will be examined for physical evidence of soil contamination, and the soils will be screened for volatile emissions with a calibrated photo-ionization detector (PID).

CME will collect post-excavation soil samples in accordance with NJDEP guidance. It is assumed that up to eight (8) discrete soil samples will be collected for analysis of volatile organic compounds (VO+15) in the gasoline UST area of concern. It is assumed that eight (8) discrete soil samples will be collected for analysis of Category 1 Extracted Petroleum Hydrocarbons (EPH) with contingency analyses for naphthalene and 2-methylnaphthalene in the heating oil UST area of concern. Sampling will be conducted in





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 6 of 8

conformance with the NJDEP Field Sampling Procedures Manual. All samples will be submitted to a State certified laboratory for analysis with standard turnaround time. Sample locations will be recorded with handheld GPS equipment or by manual measurement.

The UST closures will be documented in the Remedial Action Report described in Task 10.

**Estimated Fee for Services..... \$ 9,450**  
**This fee includes estimated subcontractor and direct costs of \$3,050.**

#### **Task 9: Construction Administration Services**

CME will coordinate all work with the Borough's contractor, and provide field oversight of all remediation and demolition activities to ensure the work is completed in accordance with the contract documents, permit conditions, and applicable regulatory requirements. CME will review all contractor invoices for consistency with the work ordered and performed, and make recommendations on payment.

It is anticipated that the Remedial Action Workplan and the contract documents will specify the excavation of contaminated soils, and that post-excavation confirmatory soil sampling will be required. CME will screen excavated soils for physical evidence of soil contamination, and the soils will be screened for volatile emissions with a calibrated photo-ionization detector (PID). CME will collect post-excavation soil samples in accordance with NJDEP guidance. For the purpose of this proposal, it is assumed that up to ten (10) discrete soil samples will be collected for analysis of volatile organic compounds (VO+15), up to ten (10) soil samples will be collected for analysis of Category 1 Extracted Petroleum Hydrocarbons (EPH) with contingency analyses for naphthalene and 2-methylnaphthalene, and up to ten (10) soil samples will be collected for analysis of PAHs, metals, and SPLP metals. Sampling will be conducted in conformance with the NJDEP Field Sampling Procedures Manual. All samples will be submitted to a State certified laboratory for analysis with standard turnaround time. Sample locations will be recorded with handheld GPS equipment or by manual measurement.

It should be noted that the extent of contamination is not fully delineated in some AOCs. If contamination is more extensive than is anticipated, then additional excavation and post-remedial sampling may be required.

For the purpose of this proposal, we assume a total of 160 man-hours for direct field observation in addition to LSRP oversight and contractor coordination. Our budget for field oversight is based on the assumption that the contractor will complete the field work in four (4) weeks; if the contractor requires additional time to complete the work, then additional budget for field oversight may be required.

**Estimated Fee for Services..... \$ 29,800**  
**This fee includes estimated subcontractor and direct costs of \$5,800.**





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 7 of 8

### Task 10: Remedial Action Report

A Remedial Action Report (RAR) will be prepared in accordance with the NJAC 7:26E-5.7. The RAR will document the UST removals and soil remediation activities and include plans, analytical summary tables, laboratory reports, electronic data deliverables, material manifests, and certifications as required.

**Estimated Fee for Services..... \$ 8,500**

### Budget

The total estimated cost to complete the proposed scope of work is **\$122,800**, as indicated for each task outlined above.

The total estimated cost includes an estimated **\$32,975** in subcontracted fees (drilling, laboratory, and rental field equipment). In addition there is **\$3,275** in estimated regulatory fees. The budget contained in this proposal is the firm's best estimate of the effort required to carry out the project as outlined in the Scope of Work. However, the client will be billed for the actual work performed to implement the Scope of Work. In no event will the client be billed or work performed in excess of the proposal amount without client's prior approval.

### Limitations

The scope of work is limited to the tasks specified above. Based on the findings of the remedial investigations and post-remedial sampling, further investigation and/or remediation may be required to comply with the Technical Requirements for Site Remediation (NJAC 7:26E). This proposal does not include site plan preparation. The proposed LSRP services do not include the issuance of a RAO for the site. Based on the findings of the remedial investigations and post-remedial sampling, CME will prepare an additional scope of work to complete the remedial activities, and a separate cost proposal will be submitted for the Borough's consideration.

### SPECIAL CONDITIONS FOR LSRP SERVICES

- The enactment of the Site Remediation Reform Act (SRRA; N.J.S.A. 58:10C-1 et seq) on May 7, 2009, and the adoption of the Administrative Requirements for the Remediation of Contaminated Sites (ARRCS; N.J.A.C. 7:26C) on November 4, 2009 require that all new remediation cases follow the provisions of SRRA. A key requirement of these rules is that a Licensed Site Remediation Professional (LSRP) must oversee all new remediation cases.





Mr. Frederick Carr, Borough Administrator  
Borough of South River  
Proposal for Firehouse Redevelopment Site – Eng & LSRP  
February 21, 2014  
Page 8 of 8

- The ARRCs requires the person responsible for conducting a remediation to notify the NJDEP of any confirmed discharges of contaminants or condition of Immediate Environmental Concern ("IEC"). Please note that being an LSRP, as a State licensed professional, I will thus have the obligation to report any such conditions to the NJDEP without obtaining any prior approval from the client.
- LSRP will provide the required services in accordance with SRRA and has the obligation to submit, maintain and preserve the relevant documents.
- LSRP is not responsible for client's failure to disclose relevant information, perform SRRA obligations, fund remediation, and follow LSRP's recommended actions. Client's failure to perform these obligations may result in fines/penalties by the NJDEP.
- The issuance of RAO by LSRP is not a guarantee or warranty that the site is free of contamination, or that it will be accepted by the NJDEP.
- NJDEP may audit the RAO within three (3) years after the date the LSRP filed the RAO with the NJDEP. LSRP is not responsible for additional requirements imposed by NJDEP after review/audit, except to the extent they arise out of LSRP's negligence.

Should you have any questions regarding this matter, please do not hesitate to contact this office.

Very truly yours,

Bruce M. Koch, P.E., P.P., C.M.E.  
Borough Engineer's Office

BMK/mdp

cc: Mayor John Krenzel  
All Council Members  
Borough Attorney  
Borough Clerk  
Chief Financial Officer





JOHN H. ALLGAIR, PE, PP, LS (1983-2001)  
DAVID J. SAMUEL, PE, PP, CME  
JOHN J. STEFANI, PE, LS, PP, CME  
JAY B. CORNELL, PE, PP, CME  
MICHAEL J. McCLELLAND, PE, PP, CME  
GREGORY R. VALES, PE, PP, CME

TIMOTHY W. GILLEN, PE, PP, CME  
BRUCE M. KOCH, PE, PP, CME  
LOUIS J. PLOSKONKA, PE, CME  
TREVOR J. TAYLOR, PE, PP, CME  
BEHRAM TURAN, PE, LSRP

**MEMO TO:** Mayor and Borough Council, Borough of South River

**FROM:** Bruce M. Koch, P.E., P.P., C.M.E., Borough Engineer's Office 

**DATE:** February 20, 2014

**RE:** HCD Citizen's Advisory Committee and  
Public Participation Meeting of February 10, 2014  
South River, New Jersey  
Our File: PSR00056.01

In accordance with the requirements of the Housing and Community Development Program, a combination HCD Citizen Advisory Committee meeting and public input meeting was held at 6:00 p.m. on February 10, 2014. The meeting was conducted in the meeting room adjacent to the Council Chambers with the following Committee Members and citizens in attendance:

<u>Name</u>	<u>Address</u>
Bruce M. Koch, P.E., P.P., C.M.E.	Borough Engineer's Office
Pat O'Connor, Borough Clerk	48 Washington Street
Councilman Thomas Roselli	22 Samuel Drive
Joseph Zanga, CFO	48 Washington Street
Cynthia Urbanik	46 Raritan Avenue
Laura Lipkin	23 Grand Avenue
Shenetta Smith	108 Montgomery Way
Tele Koukourdelis	93 James Street

I opened the meeting with a discussion of the Housing and Community Development Program, the intent of the legislation, present program operations, and past and future activities.

Those in attendance were advised that the Borough's 2014 allotment figure will be approximately \$68,978.00. The scope of eligible activities listed as "Basic Eligible Community Activities" was reviewed at the meeting.

Previous amendments, revisions and procedures for future transfers were reviewed, as well as the outstanding account balances. I explained the need to draw down old accounts, transfer unused balances and choose projects that can be implemented quickly.

I also discussed the Timeliness Plan and the need to spend money in old accounts.

The meeting was next opened for comments from the Committee members and the public. The following recommendations were discussed:

- Mr. Koukourdelis asked if the funds could be utilized on the Borough's Parks to address the concerns listed in the Joint Insurance Fund (JIF) Report.



Mayor and Borough Council

February 20, 2014  
Our File No. PSR00056.01  
Page 2

- Mrs. Urbanik discussed a concern regarding the mats on the walls of the gymnasiums at the Elementary/Middle Schools. The attached letter from the Superintendent of Schools was presented to the Committee. Mrs. Urbanik requested \$50,000.00 be allocated to the project.
- Mr. Koukourdelis and Ms. Lipkin asked questions about whether Senior Citizens use the programs held in the gym or if they are spectators.
- Mr. Koukourdelis asked if the funding could be used to install Solar Powered Pedestrian Crossing Safety Lights in the area of 55 Reid Street, the Old Bridge Turnpike by Leonardine Avenue and at the intersection of Gordon Street and Main Street.
- Mr. Koukourdelis suggested utilizing money to help fund the furnishings and gym equipment that was ruined by the flooding during SuperStorm Sandy. He also suggested it be utilized to improve handicap access in the Borough.

In the end, the Committee made the following recommendations:

- To allocate \$26,000.00 toward the mats in the school gymnasiums if the HCD Office advises us it is an eligible project.
- To allocate \$16,978.00 toward the Park Improvements to address the eligible items in the JIF Report.
- To allocate \$26,000.00 toward the Solar Pedestrian Warning Devices and Handicap Access Improvements in the Borough.

If the school proposal is not an eligible expense, \$9,000.00 of that money should go to the Park Improvements/Handicap Access Improvement items listed above, bringing that total to \$35,000.00 and the balance of \$19,000.00 to go to 55 Reid Street for furnishings and gym equipment.

The meeting was adjourned.

BMK/sm

CC: Mayor John Krenzel  
All Council Members  
Borough Administrator  
Borough Attorney  
Borough Clerk  
Borough C.F.O.  
Director of Public Works

L

JOHN H. ALLGAIR, 1983-01  
DAVID J. SAMUEL, P.E., P.P.  
JOHN J. STEFANI, P.E., L.S., P.P.  
JAY B. CORNELL, P.E., P.P.  
MICHAEL J. McCLELLAND, P.E., P.P.  
GREGORY R. VALES, P.E., P.P.



TIMOTHY W. GILLEN, P.E., P.P.  
BRUCE M. KOCH, P.E., P.P.  
LOUIS J. PLOSKONKA, P.E.  
TREVOR J. TAYLOR, P.E., P.P.  
BEHRAM TURAN, P.E., LSRP

February 11, 2014

Mayor and Borough Council  
Borough of South River  
48 Washington Street  
South River, New Jersey 08882

**Re: Jackson Street Sewage Pumping Station Modifications  
South River, New Jersey  
Our File No.: PSR00322.01**

Dear Mayor and Borough Council:

On Friday, February 7, 2014, bids were received at the South River Municipal Building for the above referenced project. As indicated on the attached bid tabulation sheet, six (6) bids were received.

The apparent low bid was submitted by Allied Construction Group, Inc. of Parlin, New Jersey, with a bid of \$1,523,000.00 for Bid Items 1 through 14 inclusive, which is \$19,600.00 under the price bid by the apparent second low bidder. The apparent second low bid was submitted by DeMaio Electrical Company, Inc. of Hillsborough, New Jersey, with a bid of \$1,542,600.00 for Bid Items 1 through 14 inclusive.

No irregularities were noted in the bid proposal submitted by Allied Construction Group, Inc. We have worked with Allied Construction Group, Inc. in the past on similar projects with satisfactory results.

Subject to the concurrence of the Borough Attorney, and the availability of sufficient funds, it is recommended that the contract be awarded to Allied Construction Group, Inc., in the amount of \$1,523,000.00.

By copy of this letter, we are hand delivering the six (6) original bids to the Borough Attorney for his review and recommendation.

Should you have any questions regarding this matter, please do not hesitate to contact this office.

Very truly yours,

Bruce M. Koch, P.E., P.P., C.M.E.  
Borough Engineer's Office

BMK/NT

Enclosure

cc: All Council Members  
Borough Administrator  
Borough Clerk  
Borough Attorney (w/ enclosures)  
Chief Financial Officer  
Borough Auditor  
Director of Public Works







Borough of South River, NJ  
Thursday, February 20, 2014

## Chapter 193. VEHICLES AND TRAFFIC

### Part 1. Traffic and Parking Regulations

#### Article XII. Schedules

##### § 193-31. Schedule II: No Parking Certain Hours.

In accordance with the provisions of § 193-7, no person shall park a vehicle between the hours listed upon any of the following described streets or parts of streets:

Name of Street	Side	Hours	Location
Caroline Drive	Both	2:00 a.m. to 6:00 a.m.	Entire length
Causeway	Both	2:00 a.m. to 6:00 a.m.	Entire length
Charles Street	North	2:00 a.m. to 6:00 a.m.	Entire length
Charles Street <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	North	School days 8:00 a.m. to 4:00 p.m.	From Obert Street to a point 80 feet east thereof
Charles Street <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	North	School days 8:00 a.m. to 4:00 p.m.	From Obert Street to a point 80 feet west thereof
Claremont Avenue <b>[Amended 11-14-1985 by Ord. No. 1985-31; 9-21-1994 by Ord. No. 1994-37; 12-18-1998 by Ord. No. 1998-32]</b>	North	School days 8:00 a.m. to 4:00 p.m.	From David Street to Montgomery Street
Darrow Street <b>[Added 6-26-1986 by Ord. No. 1986-15; amended 9-21-1994 by Ord. No. 1994-37]</b>	North	8:00 p.m. to 6:00 a.m.	From the easterly curbline of Bright Street to a point 108 feet west therefrom

David Street <b>[Added 10-17-2005 by Ord. No. 2005-37]</b>	East	School days 8:00 a.m. to 9:00 a.m. 3:00 p.m. to 4:00 p.m.	From Johnson Place to Arlington Avenue
David Street <b>[Amended 11-25-1987 by Ord. No. 1987-32; 9-21-1994 by Ord. No. 1994-37]</b>	Northeast	School days 8:00 a.m. to 4:00 p.m.	From Johnson Place to a point 272 feet southeast thereof
David Street <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	Southwest	School days 8:00 a.m. to 4:00 p.m.	From the south curbline of Johnson Place to a point 60 feet south thereof
DeVoe Street	Both	2:00 a.m. to 6:00 a.m.	Entire length
Division Street <b>[Added 3-3-1994 by Ord. No. 1993-3; amended 9-21-1994 by Ord. No. 1994-37]</b>	South	School days 8:00 a.m. to 4:00 p.m.	From a point westerly of the curbline of Willett Avenue to a point 63 feet westerly thereof
Eberwein Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Southeast	2:00 a.m. to 6:00 a.m.	Entire length
Ferry Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Southwest	2:00 a.m. to 6:00 a.m.	Entire length
George Street <i>[Amended 9-21-1994 by Ord. No. 1994-37]</i>	Southeast	School days 8:00 a.m. to 4:00 p.m.	From Clinton Street to Leland Avenue
Holmes Avenue <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	Both	School days 8:00 a.m. to 4:00 p.m.	From Jackson Street to a point 190 feet southeast thereof
Jackson Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Both	2:00 a.m. to 6:00 a.m.	From Water Street to Gordon Street
Jackson Street <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	East	School days 2:30 p.m. to 3:30 p.m.	From Holmes Avenue to Whitehead Avenue



Jeffrie Avenue	Both	2:00 a.m. to 6:00 a.m.	Entire length
John Street <b>[Repealed 10-4-2000 by Ord. No. 2000-34]</b>			
Kamm Avenue	Both	2:00 a.m. to 6:00 a.m.	Entire length
Leland Avenue <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	Both	School days 8:00 a.m. to 4:00 p.m.	From George Street to a point 180 feet northwest thereof
Lexington Avenue <b>[Amended 11-14-1985 by Ord. No. 1985-31; repealed 2-13-1986 by Ord. No. 1986-6]</b>			
Main Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Both	2:00 a.m. to 6:00 a.m.	From Water Street to Jackson Street
Marcus Court	Both	2:00 a.m. to 6:00 a.m.	Entire length
Milton Court	Both	2:00 a.m. to 6:00 a.m.	Entire length
Montgomery Street <b>[Amended 9-21-1994 by Ord. No. 1994-37; 3-1-1995 by Ord. No. 1995-6; repealed 12-13-1995 by Ord. No. 1995-34]</b>			
Montgomery Street <b>[Added 11-12-1997 by Ord. No. 1997-33; repealed 12-19-2005 by Ord. No. 2005-43]</b>			
Morningside Avenue <b>[Amended 9-21-1994 by Ord. No. 1994-37; 12-18-1998 by Ord. No. 1998-32]</b>	North	School days 8:00 a.m. to 4:00 p.m.	From the north curbline of Willett Avenue to a point 600 feet west thereof
Northern Street	Both	2:00 a.m. to 6:00 a.m.	Entire length
Obert Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Both	2:00 a.m. to 6:00 a.m.	From Main Street to Jackson Street
Philip Street	Both	2:00 a.m. to 6:00 a.m.	Entire length

Reid Street <b>[Added 7-9-1980 by Ord. No. 1980-29; amended 9-21-1994 by Ord. No. 1994-37]</b>	North	7:00 a.m. to 6:00 p.m.	From a point 720 feet north of Main Street to a point 400 feet west thereof
Stephen Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Both	2:00 a.m. to 6:00 a.m.	From Main Street to George Street
Thomas Street	Northeast	2:00 a.m. to 6:00 a.m.	Entire length
Washington Street <b>[Amended 8-17-1994 by Ord. No. 1994-24]</b>	Both	2:00 a.m. to 6:00 a.m.	From Obert Street to Ferry Street
Whitehead Avenue	Both	2:00 a.m. to 6:00 a.m.	Entire length
William Street <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	East	School days 8:00 a.m. to 4:00 p.m.	From Prospect Street to Henry Street
William Street <b>[Amended 9-21-1994 by Ord. No. 1994-37]</b>	West	School days 8:00 a.m. to 4:00 p.m.	From the north curbline of Prospect Street to a point 250 feet north thereof

**Patricia Oconnor**

**From:** James Nolan [jnolan@jpnlaw.us]  
**Sent:** Thursday, February 06, 2014 12:53 PM  
**To:** Frederick Carr; Richard Dudas; Lakisha Thomas; Tom Roselli; John Krenzel; Peter Guindi; James Jones; Shawn Haussermann; Jim Hutchison; Patricia Oconnor  
**Cc:** Debbie Jones  
**Subject:** FW: Electric Usage for Lights at Various Borough Parks  
**Attachments:** 20140114092226721.pdf

Hello All, I do not yet have an email address for Councilman Trenga, so I ask Fred to see that this is forwarded. Attached are the electric usage bills/reports for the various lighted ball fields around the Borough. The hourly rate is approximately \$25 per hour. It has been proposed that we amend our fee ordinance to include the electrical cost, dollar for dollar, and pass that on to the teams. We need to discuss whether this proposal should be put to a vote. If you choose to go forward with the change, the Administrator and I recommend that the estimated cost for the given season be required to be paid up front, so that we are not forced to try to collect later. The other issue to be discussed is what groups, if any, should be exempted. It seems that you may want to consider exempting the schools, Borough Recreation activities and Borough teams. I would recommend that we use similar language, giving the Administrator the authority to make judgment calls. Thanks, Jim Nolan

James P. Nolan Jr.  
James P. Nolan & Associates  
61 Green Street  
Woodbridge, NJ 07095  
(732) 636-3344  
Fax: (732) 636-1175

---

**From:** Debbie Jones [mailto:djones@southrivernj.org]  
**Sent:** Tuesday, January 14, 2014 10:06 AM  
**To:** James Nolan  
**Cc:** Frederick Carr; Richard Dudas; Lakisha Thomas  
**Subject:** Electric Usage for Lights at Various Borough Parks



Morning Jim,

Attached please find information regarding the above mentioned matter. You will find the Borough's current Facilities Use Application for Parks and , Usage Reports for Various Fields

2/6/2014

and Teams, and our Utility Supervisors notes on how the usage got calculated.

Should you have any questions, please contact Fred.

Thanks, Debbie

**Debra A. Jones**  
*Executive Assistant-Confidential*  
*Registrar of Vital Statistics*  
*Board of Health Secretary*  
*Municipal Alliance Coordinator*  
*Borough of South River*  
*48 Washington Street*  
*South River, NJ 08882*  
*732-257-1999 ext. 118*  
*732-613-3081 Fax*  
*732-648-6214 Cell*

*Confidentiality Notice: This e-mail contains information from the Borough Of South River. It is intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. Dissemination, distribution or copying of this e-mail or the information contained within it by anyone other than the intended recipient or an employee or agent responsible for delivering the message to the intended recipient is prohibited. If you have received this e-mail in error, please call the Borough of South River 732-257-1999 ext. 118 and destroy the original message and all copies.*

**WARNING:** Email received by or sent to Borough officials is subject to the Open Public Records Act [OPRA]. This means that absent some specific privilege, all such communications are considered a public record and are subject to publication and/or dissemination to the public upon request.



South River Parks & Recreation Department

48 Washington Street

South River, NJ 08882

South River Parks & Recreation Facilities Use Application

Date Submitted: \_\_\_\_\_

Day(s) Requesting: \_\_\_\_\_ To \_\_\_\_\_ Number of Attendees: \_\_\_\_\_

Name of Organization: \_\_\_\_\_

Address: \_\_\_\_\_

Name of Responsible Applicant: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Number: \_\_\_\_\_

**Facility Requesting:**

Park: \_\_\_\_\_ Start Time: \_\_\_\_\_ am/pm End Time: \_\_\_\_\_ am/pm

Ball Field: \_\_\_\_\_ Start Time: \_\_\_\_\_ am/pm End Time: \_\_\_\_\_ am/pm

Gazebo: \_\_\_\_\_ Start Time: \_\_\_\_\_ am/pm End Time: \_\_\_\_\_ am/pm

Soccer Field: \_\_\_\_\_ Start Time: \_\_\_\_\_ am/pm End Time: \_\_\_\_\_ am/pm

**Applicant Signature Reviewed Guideline Usage:**

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

**Official Use Only**

Date: \_\_\_\_\_

Approved [  ] Denied [  ]

Reason for Denial: \_\_\_\_\_

Insurance Certificate:

Insurance Name: \_\_\_\_\_ Date: From \_\_\_\_\_ To \_\_\_\_\_

**\*Insurance certificate must be enclosed.**

Authorized Signature: \_\_\_\_\_

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Daley Park	109:08	4:17
<b>City of South River</b>	<b>109:08</b>	<b>4:17</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Daley Park	Soccer	109:08	4:17
<b>City of South River</b>		<b>109:08</b>	<b>4:17</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
South River Knights	109:08	4:17
<b>City of South River</b>	<b>109:08</b>	<b>4:17</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Daley Park	Soccer	South River Knights	109:08	4:17
<b>City of South River</b>			<b>109:08</b>	<b>4:17</b>

<b>Detail For Facility: Daley Park</b>					
<b>Soccer</b>					
Schedules For Soccer :					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Fri 08/16/2013 7:06p	Fri 08/16/2013 8:30p	Lakisha Thomas	South River Knights		
Mon 08/19/2013 7:02p	Mon 08/19/2013 8:45p	Lakisha Thomas	South River Knights		
Tue 08/20/2013 7:01p	Tue 08/20/2013 8:45p	Lakisha Thomas	South River Knights		
Wed 08/21/2013 6:59p	Wed 08/21/2013 8:45p	Lakisha Thomas	South River Knights		
Thu 08/22/2013 6:58p	Thu 08/22/2013 8:45p	Lakisha Thomas	South River Knights		
Mon 08/26/2013 6:52p	Mon 08/26/2013 8:45p	Lakisha Thomas	South River Knights		
Tue 08/27/2013 6:50p	Tue 08/27/2013 8:45p	Lakisha Thomas	South River Knights		
Wed 08/28/2013 6:49p	Wed 08/28/2013 8:45p	Lakisha Thomas	South River		

Thu 08/29/2013 6:47p	Thu 08/29/2013 8:45p	Lakisha Thomas	Knights South River
Fri 08/30/2013 6:45p	Fri 08/30/2013 8:45p	Lakisha Thomas	Knights South River
Tue 09/03/2013 6:39p	Tue 09/03/2013 8:45p	Lakisha Thomas	Knights South River
Wed 09/04/2013 6:38p	Wed 09/04/2013 8:45p	Lakisha Thomas	Knights South River
Fri 09/06/2013 6:34p	Fri 09/06/2013 8:45p	Lakisha Thomas	Knights South River
Mon 09/09/2013 6:29p	Mon 09/09/2013 8:45p	Lakisha Thomas	Knights South River
Fri 09/13/2013 6:23p	Fri 09/13/2013 9:15p	Lakisha Thomas	Knights South River
Mon 09/16/2013 6:18p	Mon 09/16/2013 9:15p	Lakisha Thomas	Knights South River
Wed 09/18/2013 6:15p	Wed 09/18/2013 9:15p	Lakisha Thomas	Knights South River
Fri 09/20/2013 6:11p	Fri 09/20/2013 9:15p	Lakisha Thomas	Knights South River
Mon 09/23/2013 6:06p	Mon 09/23/2013 9:15p	Lakisha Thomas	Knights South River
Tue 09/24/2013 6:05p	Tue 09/24/2013 9:15p	Lakisha Thomas	Knights South River
Wed 09/25/2013 6:03p	Wed 09/25/2013 9:15p	Lakisha Thomas	Knights South River
Fri 09/27/2013 6:00p	Fri 09/27/2013 9:15p	Lakisha Thomas	Knights South River
Mon 09/30/2013 5:55p	Mon 09/30/2013 9:15p	Lakisha Thomas	Knights South River
Tue 10/01/2013 6:00p	Tue 10/01/2013 9:15p	Lakisha Thomas	Knights South River
Wed 10/02/2013 5:52p	Wed 10/02/2013 9:15p	Lakisha Thomas	Knights South River
Fri 10/04/2013 5:48p	Fri 10/04/2013 9:15p	Lakisha Thomas	Knights South River
Tue 10/08/2013 5:42p	Tue 10/08/2013 8:45p	Lakisha Thomas	Knights South River
Wed 10/09/2013 5:40p	Wed 10/09/2013 9:15p	Lakisha Thomas	Knights South River
Fri 10/11/2013 5:37p	Fri 10/11/2013 9:15p	Lakisha Thomas	Knights South River
Tue 10/15/2013 5:31p	Tue 10/15/2013 8:45p	Lakisha Thomas	Knights South River
Wed 10/16/2013 5:30p	Wed 10/16/2013 9:15p	Lakisha Thomas	Knights South River
Fri 10/18/2013 5:27p	Fri 10/18/2013 9:15p	Lakisha Thomas	Knights South River
Tue 10/22/2013 6:15p	Tue 10/22/2013 8:30p	Lakisha Thomas	Knights South River
Wed 10/23/2013 5:20p	Wed 10/23/2013 8:30p	Lakisha Thomas	Knights South River
Fri 10/25/2013 5:17p	Fri 10/25/2013 8:30p	Lakisha Thomas	Knights South River
Tue 10/29/2013 5:12p	Tue 10/29/2013 8:30p	Lakisha Thomas	Knights South River
Wed 10/30/2013 5:11p	Wed 10/30/2013 8:30p	Lakisha Thomas	Knights South River
Fri 11/01/2013 5:08p	Fri 11/01/2013 8:30p	Lakisha Thomas	Knights South River
Tue 11/05/2013 4:04p	Tue 11/05/2013 8:30p	Lakisha Thomas	Knights South River
Fri 11/08/2013 4:01p	Fri 11/08/2013 4:13p EarlyOff 4:13p Originally 8:30p	Lakisha Thomas	Knights South River

<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>
South River Knights Total Auto Hours Usage	109:08	4:17
<b>Total Auto Hours Usage For Soccer</b>	<b>109:08</b>	<b>4:17</b>
Daley Park Total Auto Hours Usage = 109:08		
Daley Park Total Hours Saved from Early Offs = 4:17		

City of South River Total Auto Hours Usage = 109:08  
City of South River Total Hours Saved from Early Offs = 4:17

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
Facility	Total Auto Hours Usage	Total Hours Saved from Early Offs
Grekoski Park	2:00	0:00
<b>City of South River</b>	<b>2:00</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
Facility	Field	Total Auto Hours Usage	Total Hours Saved from Early Offs
Grekoski Park	Baseball	2:00	0:00
<b>City of South River</b>		<b>2:00</b>	<b>0:00</b>

<b>Summary by User Group</b>		
User Group	Total Auto Hours Usage	Total Hours Saved from Early Offs
Brunswick Bombers Baseball	2:00	0:00
<b>City of South River</b>	<b>2:00</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
Facility	Field	User Group	Total Auto Hours Usage	Total Hours Saved from Early Offs
Grekoski Park	Baseball	Brunswick Bombers Baseball	2:00	0:00
<b>City of South River</b>			<b>2:00</b>	<b>0:00</b>

<b>Detail For Facility: Grekoski Park</b>				
<b>Baseball</b>				
Schedules For Baseball :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Sun 06/30/2013 6:45p	Sun 06/30/2013 8:45p	Laura Kahse (Deleted)	Brunswick Bombers Baseball	Brunswick Bombers
User Group Totals For Baseball :				
<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>		
Brunswick Bombers Baseball Total Auto Hours Usage	2:00	0:00		
<b>Total Auto Hours Usage For Baseball</b>	<b>2:00</b>	<b>0:00</b>		
<b>Football</b>				
<b>Total Auto Hours Usage For Football</b>	<b>0:00</b>	<b>0:00</b>		
<b>Grekoski Park Total Auto Hours Usage = 2:00</b>				
<b>Grekoski Park Total Hours Saved from Early Offs = 0:00</b>				

City of South River Total Auto Hours Usage = 2:00  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	22:57	0:00
<b>City of South River</b>	<b>22:57</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	22:57	0:00
<b>City of South River</b>		<b>22:57</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
EB Courage Baseball	22:57	0:00
<b>City of South River</b>	<b>22:57</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	EB Courage Baseball	22:57	0:00
<b>City of South River</b>			<b>22:57</b>	<b>0:00</b>

<b>Detail For Facility: Grekoski Park</b>					
<b>Baseball</b>					
Schedules For Baseball :					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Sun 04/07/2013 6:45p	Sun 04/07/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Sun 04/21/2013 6:45p	Sun 04/21/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Sun 05/05/2013 6:45p	Sun 05/05/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Sun 05/12/2013 6:45p	Sun 05/12/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Sun 06/09/2013 6:45p	Sun 06/09/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Sun 06/16/2013 6:45p	Sun 06/16/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Sun 06/23/2013 6:45p	Sun 06/23/2013 8:45p	Laura Kahse (Deleted)	EB Courage Baseball	East Brunswick Courage Baseball	
Fri 07/05/2013 7:43p	Fri 07/05/2013 9:45p	Lakisha Thomas	EB Courage	East Brunswick Courage	

Fri 07/26/2013 7:30p	Fri 07/26/2013 9:45p	Lakisha Thomas	Baseball
Tue 07/30/2013 7:27p	Tue 07/30/2013 9:45p	Lakisha Thomas	EB Courage Baseball
Fri 08/02/2013 7:23p	Fri 08/02/2013 9:45p	Lakisha Thomas	EB Courage Baseball
User Group Totals For Baseball :			
<u>User Group</u>		<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>
EB Courage Baseball Total Auto Hours Usage		22:57	0:00
<b>Total Auto Hours Usage For Baseball</b>		<b>22:57</b>	<b>0:00</b>
<b>Football</b>			
<b>Total Auto Hours Usage For Football</b>		<b>0:00</b>	<b>0:00</b>
<b>Grekoski Park Total Auto Hours Usage = 22:57</b>			
<b>Grekoski Park Total Hours Saved from Early Offs = 0:00</b>			

City of South River Total Auto Hours Usage = 22:57  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	14:30	0:00
<b>City of South River</b>	<b>14:30</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	14:30	0:00
<b>City of South River</b>		<b>14:30</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
GMC Summer Baseball League	14:30	0:00
<b>City of South River</b>	<b>14:30</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	GMC Summer Baseball League	14:30	0:00
<b>City of South River</b>			<b>14:30</b>	<b>0:00</b>

<b>Detail For Facility: Grekoski Park</b>				
<b>Baseball</b>				
Schedules For Baseball :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Wed 06/12/2013 6:45p	Wed 06/12/2013 9:00p	Lakisha Thomas	GMC Summer Baseball League	GMCSBL
Thu 06/20/2013 6:45p	Thu 06/20/2013 10:00p	Lakisha Thomas	GMC Summer Baseball League	GMCSBL
Mon 06/24/2013 6:45p	Mon 06/24/2013 9:00p	Lakisha Thomas	GMC Summer Baseball League	GMCSBL
Tue 06/25/2013 6:45p	Tue 06/25/2013 9:00p	Lakisha Thomas	GMC Summer Baseball League	GMCSBL
Mon 07/08/2013 6:45p	Mon 07/08/2013 9:00p	Lakisha Thomas	GMC Summer Baseball League	GMCSBL
Tue 07/09/2013 6:45p	Tue 07/09/2013 9:00p	Lakisha Thomas	GMC Summer Baseball League	GMCSBL
User Group Totals For Baseball :				

<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>
GMC Summer Baseball League Total Auto Hours Usage	14:30	0:00
<b>Total Auto Hours Usage For Baseball</b>	<b>14:30</b>	<b>0:00</b>
Football		
<b>Total Auto Hours Usage For Football</b>	<b>0:00</b>	<b>0:00</b>
Grekoski Park Total Auto Hours Usage = 14:30		
Grekoski Park Total Hours Saved from Early Offs = 0:00		

City of South River Total Auto Hours Usage = 14:30  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
Facility	Total Auto Hours Usage	Total Hours Saved from Early Offs
Grekoski Park	7:33	0:00
<b>City of South River</b>	<b>7:33</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
Facility	Field	Total Auto Hours Usage	Total Hours Saved from Early Offs
Grekoski Park	Baseball	7:33	0:00
<b>City of South River</b>		<b>7:33</b>	<b>0:00</b>

<b>Summary by User Group</b>		
User Group	Total Auto Hours Usage	Total Hours Saved from Early Offs
Monroe USABL	7:33	0:00
<b>City of South River</b>	<b>7:33</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
Facility	Field	User Group	Total Auto Hours Usage	Total Hours Saved from Early Offs
Grekoski Park	Baseball	Monroe USABL	7:33	0:00
<b>City of South River</b>			<b>7:33</b>	<b>0:00</b>

<b>Detail For Facility: Grekoski Park</b>				
<b>Baseball</b>				
Schedules For Baseball :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Thu 07/11/2013 7:40p	Thu 07/11/2013 9:15p	Lakisha Thomas	Monroe USABL	Monroe USABL Summer Baseball League
Sat 07/13/2013 7:40p	Sat 07/13/2013 10:15p	Lakisha Thomas	Monroe USABL	
Tue 07/16/2013 7:38p	Tue 07/16/2013 9:15p	Lakisha Thomas	Monroe USABL	
Sat 07/27/2013 7:29p	Sat 07/27/2013 9:15p	Lakisha Thomas	Monroe USABL	
User Group Totals For Baseball :				
<u>User Group</u>		<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>	
Monroe USABL	Total Auto Hours Usage	7:33	0:00	
<b>Total Auto Hours Usage For Baseball</b>		<b>7:33</b>	<b>0:00</b>	
<b>Football</b>				
<b>Total Auto Hours Usage For Football</b>		<b>0:00</b>	<b>0:00</b>	
Grekoski Park Total Auto Hours Usage = 7:33				
Grekoski Park Total Hours Saved from Early Offs = 0:00				

City of South River Total Auto Hours Usage = 7:33  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	2:40	0:00
<b>City of South River</b>	<b>2:40</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	2:40	0:00
<b>City of South River</b>		<b>2:40</b>	<b>0:00</b>

<b>Summary by User Group</b>			
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>	
S.R. Sharks Mens BB League	2:40	0:00	
<b>City of South River</b>	<b>2:40</b>	<b>0:00</b>	

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	S.R. Sharks Mens BB League	2:40	0:00
<b>City of South River</b>			<b>2:40</b>	<b>0:00</b>

<b>Detail For Facility: Grekoski Park</b>					
<b>Baseball</b>					
Schedules For Baseball :					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Sat 07/20/2013 7:35p	Sat 07/20/2013 10:15p	Lakisha Thomas	S.R. Sharks Mens BB League		
User Group Totals For Baseball :					
<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>			
S.R. Sharks Mens BB League	Total Auto Hours Usage 2:40	0:00			
<b>Total Auto Hours Usage For Baseball</b>			<b>2:40</b>	<b>0:00</b>	
<b>Football</b>					
<b>Total Auto Hours Usage For Football</b>			<b>0:00</b>	<b>0:00</b>	
<b>Grekoski Park Total Auto Hours Usage = 2:40</b>					
<b>Grekoski Park Total Hours Saved from Early Offs = 0:00</b>					

City of South River Total Auto Hours Usage = 2:40  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	4:30	0:00
<b>City of South River</b>	<b>4:30</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	4:30	0:00
<b>City of South River</b>		<b>4:30</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
South River High School	4:30	0:00
<b>City of South River</b>	<b>4:30</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	South River High School	4:30	0:00
<b>City of South River</b>			<b>4:30</b>	<b>0:00</b>

<b>Detail For Facility: Grekoski Park</b>					
<b>Baseball</b>					
Schedules For Baseball :					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Mon 04/15/2013 6:30p	Mon 04/15/2013 11:00p	Lakisha Thomas	South River High School	South River High School	
User Group Totals For Baseball :					
<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>			
South River High School	Total Auto Hours Usage 4:30	0:00			
<b>Total Auto Hours Usage For Baseball</b>			<b>4:30</b>	<b>0:00</b>	
<b>Football</b>					
<b>Total Auto Hours Usage For Football</b>			<b>0:00</b>	<b>0:00</b>	
Grekoski Park Total Auto Hours Usage = 4:30					
Grekoski Park Total Hours Saved from Early Offs = 0:00					

City of South River Total Auto Hours Usage = 4:30  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	22:30	0:00
<b>City of South River</b>	<b>22:30</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	22:30	0:00
<b>City of South River</b>		<b>22:30</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
SR NJABL	22:30	0:00
<b>City of South River</b>	<b>22:30</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	SR NJABL	22:30	0:00
<b>City of South River</b>			<b>22:30</b>	<b>0:00</b>

**Detail For Facility: Grekoski Park**

<b>Baseball</b>				
Schedules For Baseball :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Wed 04/10/2013 6:45p	Wed 04/10/2013 9:15p	Lakisha Thomas	SR NJABL	
Wed 05/01/2013 6:45p	Wed 05/01/2013 9:15p	Lakisha Thomas	SR NJABL	
Wed 05/15/2013 6:45p	Wed 05/15/2013 9:15p	Lakisha Thomas	SR NJABL	NJABL
Sat 06/22/2013 6:45p	Sat 06/22/2013 8:15p	Lakisha Thomas	SR NJABL	South River NJABL
Sun 07/07/2013 6:45p	Sun 07/07/2013 10:15p	Lakisha Thomas	SR NJABL	SR NJABL
Sun 07/14/2013 6:45p	Sun 07/14/2013 10:00p	Lakisha Thomas	SR NJABL	SRNJABL
Sun 07/21/2013 6:45p	Sun 07/21/2013 10:00p	Lakisha Thomas	SR NJABL	SR NJABL
Sun 07/28/2013 6:45p	Sun 07/28/2013 10:15p	Lakisha Thomas	SR NJABL	SR NJABL
User Group Totals For Baseball :				
<u>User Group</u>	<u>Auto Hours Usage</u>		<u>Hours Saved from Early Offs</u>	
SR NJABL Total Auto Hours Usage	22:30		0:00	
<b>Total Auto Hours Usage For Baseball</b>	<b>22:30</b>		<b>0:00</b>	

Football		
Total Auto Hours Usage For Football	0:00	0:00
Grekoski Park Total Auto Hours Usage = 22:30		
Grekoski Park Total Hours Saved from Early Offs = 0:00		

City of South River Total Auto Hours Usage = 22:30  
City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	74:26	3:12
<b>City of South River</b>	<b>74:26</b>	<b>3:12</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Grekoski Park	Baseball	74:26	3:12
<b>City of South River</b>		<b>74:26</b>	<b>3:12</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
SR Rays Little League	74:26	3:12
<b>City of South River</b>	<b>74:26</b>	<b>3:12</b>

<b>Summary by Field, User Group</b>					
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>	
Grekoski Park	Baseball	SR Rays Little League	74:26	3:12	
<b>City of South River</b>			<b>74:26</b>	<b>3:12</b>	

<b>Detail For Facility: Grekoski Park</b>					
<b>Baseball</b>					
<b>Schedules For Baseball :</b>					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Thu 04/04/2013 6:45p	Thu 04/04/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Sat 04/06/2013 6:45p	Sat 04/06/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Thu 04/18/2013 6:45p	Thu 04/18/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Sat 04/20/2013 6:45p	Sat 04/20/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Thu 04/25/2013 6:45p	Thu 04/25/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Sun 04/28/2013 6:45p	Sun 04/28/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Thu 05/02/2013 6:45p	Thu 05/02/2013 9:15p	Laura Kahse (Deleted)	SR Rays Little League	South River Rays Little League	
Sat 05/04/2013 6:45p	Sat 05/04/2013 9:15p	Laura Kahse	SR Rays Little League	South River Rays Little League	

Thu 05/16/2013 6:45p	Thu 05/16/2013 10:00p	(Deleted) Lakisha Thomas	League SR Rays Little League	League South River Rays Little League
Sun 05/19/2013 6:45p	Sun 05/19/2013 9:15p	Laura Kahse	SR Rays Little League	South River Rays
Thu 05/30/2013 6:45p	Thu 05/30/2013 9:15p	(Deleted) Laura Kahse	SR Rays Little League	South River Rays Little League
Sun 06/02/2013 6:45p	Sun 06/02/2013 9:15p	(Deleted) Laura Kahse	SR Rays Little League	South River Rays
Thu 06/06/2013 6:45p	Thu 06/06/2013 9:15p	(Deleted) Laura Kahse	SR Rays Little League	South River Rays Little League
Sat 06/15/2013 6:45p	Sat 06/15/2013 9:15p	(Deleted) Laura Kahse	SR Rays Little League	South River Rays
Wed 07/31/2013 7:26p	Wed 07/31/2013 10:15p	Lakisha Thomas	SR Rays Little League	
Mon 08/26/2013 6:52p	Mon 08/26/2013 10:00p	Lakisha Thomas	SR Rays Little League	
Thu 08/29/2013 6:47p	Thu 08/29/2013 10:00p	Lakisha Thomas	SR Rays Little League	
Thu 09/05/2013 6:36p	Thu 09/05/2013 8:32p EarlyOff 8:32p Originally 9:15p	Lakisha Thomas	SR Rays Little League	
Thu 09/12/2013 6:25p	Thu 09/12/2013 9:15p	Lakisha Thomas	SR Rays Little League	
Sun 09/15/2013 6:20p	Sun 09/15/2013 10:00p	Lakisha Thomas	SR Rays Little League	
Thu 09/19/2013 6:13p	Thu 09/19/2013 6:46p EarlyOff 6:46p Originally 9:15p	Lakisha Thomas	SR Rays Little League	
Fri 09/20/2013 6:11p	Fri 09/20/2013 10:15p	Lakisha Thomas	SR Rays Little League	
Thu 09/26/2013 6:01p	Thu 09/26/2013 10:15p	Lakisha Thomas	SR Rays Little League	
Sun 09/29/2013 5:56p	Sun 09/29/2013 9:15p	Lakisha Thomas	SR Rays Little League	
Thu 10/03/2013 5:50p	Thu 10/03/2013 10:15p	Lakisha Thomas	SR Rays Little League	
Sun 10/06/2013 5:45p	Sun 10/06/2013 10:15p	Lakisha Thomas	SR Rays Little League	

User Group Totals For Baseball :

<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>
SR Rays Little League Total Auto Hours Usage	74:26	3:12
<b>Total Auto Hours Usage For Baseball</b>	<b>74:26</b>	<b>3:12</b>
<b>Football</b>		
<b>Total Auto Hours Usage For Football</b>	<b>0:00</b>	<b>0:00</b>
<b>Grekoski Park Total Auto Hours Usage = 74:26</b>		
<b>Grekoski Park Total Hours Saved from Early Offs = 3:12</b>		

City of South River Total Auto Hours Usage = 74:26  
 City of South River Total Hours Saved from Early Offs = 3:12

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	75:04	0:00
<b>City of South River</b>	<b>75:04</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	75:04	0:00
<b>City of South River</b>		<b>75:04</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
BEFC Soccer	75:04	0:00
<b>City of South River</b>	<b>75:04</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	BEFC Soccer	75:04	0:00
<b>City of South River</b>			<b>75:04</b>	<b>0:00</b>

**Detail For Facility: Veterans Drive Field**

<b>Soccer 1</b>					
Schedules For Soccer 1 :					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Wed 05/15/2013 7:45p	Wed 05/15/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Mon 05/20/2013 7:45p	Mon 05/20/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Wed 05/22/2013 7:45p	Wed 05/22/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Wed 05/29/2013 7:45p	Wed 05/29/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Wed 06/05/2013 7:45p	Wed 06/05/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Wed 06/12/2013 7:45p	Wed 06/12/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Mon 06/17/2013 6:45p	Mon 06/17/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Wed 06/19/2013 7:45p	Wed 06/19/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Mon 06/24/2013 6:45p	Mon 06/24/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Fri 07/05/2013 7:43p	Fri 07/05/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Mon 07/08/2013 6:45p	Mon 07/08/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
Wed 07/10/2013 7:59p	Wed 07/10/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	
EarlyOn 7:59p Schedule Added					
Mon 07/15/2013 6:45p	Mon 07/15/2013 10:15p	Lakisha Thomas	BEFC Soccer	Blue Eagles Soccer	

Mon 07/22/2013 6:45p	Mon 07/22/2013 10:15p	Lakisha Thomas	BEFC Soccer
Thu 07/25/2013 7:00p	Thu 07/25/2013 10:15p	Lakisha Thomas	BEFC Soccer
Mon 07/29/2013 6:45p	Mon 07/29/2013 10:15p	Lakisha Thomas	BEFC Soccer
Mon 08/05/2013 7:48p	Mon 08/05/2013 10:15p	Lakisha Thomas	BEFC Soccer
EarlyOn 7:48p Schedule Added			
Wed 08/07/2013 7:18p	Wed 08/07/2013 10:15p	Lakisha Thomas	BEFC Soccer
Wed 08/14/2013 8:15p	Wed 08/14/2013 10:15p	Lakisha Thomas	BEFC Soccer
Mon 09/09/2013 9:30p	Mon 09/09/2013 10:15p	Lakisha Thomas	BEFC Soccer
Wed 09/11/2013 9:30p	Wed 09/11/2013 10:15p	Lakisha Thomas	BEFC Soccer
Mon 09/16/2013 9:30p	Mon 09/16/2013 10:15p	Lakisha Thomas	BEFC Soccer
Wed 09/18/2013 9:30p	Wed 09/18/2013 10:15p	Lakisha Thomas	BEFC Soccer
Mon 09/23/2013 9:30p	Mon 09/23/2013 10:15p	Lakisha Thomas	BEFC Soccer
Wed 09/25/2013 6:03p	Wed 09/25/2013 10:15p	Lakisha Thomas	BEFC Soccer
Tue 10/01/2013 5:53p	Tue 10/01/2013 10:15p	Lakisha Thomas	BEFC Soccer
Wed 10/02/2013 9:30p	Wed 10/02/2013 10:15p	Lakisha Thomas	BEFC Soccer
Tue 10/08/2013 5:42p	Tue 10/08/2013 10:15p	Lakisha Thomas	BEFC Soccer
Sun 10/13/2013 6:45p	Sun 10/13/2013 10:15p	Lakisha Thomas	BEFC Soccer
User Group Totals For Soccer 1 :			
<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>	
BEFC Soccer Total Auto Hours Usage	75:04	0:00	
<b>Total Auto Hours Usage For Soccer 1</b>	<b>75:04</b>	<b>0:00</b>	
<b>Veterans Drive Field Total Auto Hours Usage = 75:04</b>			
<b>Veterans Drive Field Total Hours Saved from Early Offs = 0:00</b>			

City of South River Total Auto Hours Usage = 75:04  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	0:00	0:00
<b>City of South River</b>	<b>0:00</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
<b>City of South River</b>		<b>0:00</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
<b>City of South River</b>	<b>0:00</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
<b>City of South River</b>			<b>0:00</b>	<b>0:00</b>

<b>Detail For Facility: Veterans Drive Field</b>		
Soccer 1		
<b>Total Auto Hours Usage For Soccer 1</b>	<b>0:00</b>	<b>0:00</b>
<b>Veterans Drive Field Total Auto Hours Usage = 0:00</b>		
<b>Veterans Drive Field Total Hours Saved from Early Offs = 0:00</b>		

City of South River Total Auto Hours Usage = 0:00  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	2:30	0:00
<b>City of South River</b>	<b>2:30</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	2:30	0:00
<b>City of South River</b>		<b>2:30</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
NJW Soccer	2:30	0:00
<b>City of South River</b>	<b>2:30</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	NJW Soccer	2:30	0:00
<b>City of South River</b>			<b>2:30</b>	<b>0:00</b>

<b>Detail For Facility: Veterans Drive Field</b>				
<b>Soccer 1</b>				
Schedules For Soccer 1 :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Fri 04/05/2013 6:45p	Fri 04/05/2013 9:15p	Lakisha Thomas	NJW Soccer	NJW Soccer
User Group Totals For Soccer 1 :				
<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>		
NJW Soccer Total Auto Hours Usage	2:30	0:00		
<b>Total Auto Hours Usage For Soccer 1</b>	<b>2:30</b>	<b>0:00</b>		
<b>Veterans Drive Field Total Auto Hours Usage = 2:30</b>				
<b>Veterans Drive Field Total Hours Saved from Early Offs = 0:00</b>				

City of South River Total Auto Hours Usage = 2:30  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	41:32	2:33
<b>City of South River</b>	<b>41:32</b>	<b>2:33</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	41:32	2:33
<b>City of South River</b>		<b>41:32</b>	<b>2:33</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Sayreville Bullets Soccer	41:32	2:33
<b>City of South River</b>	<b>41:32</b>	<b>2:33</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	Sayreville Bullets Soccer	41:32	2:33
<b>City of South River</b>			<b>41:32</b>	<b>2:33</b>

<b>Detail For Facility: Veterans Drive Field</b>					
<b>Soccer 1</b>					
Schedules For Soccer 1 :					
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>	
Tue 04/02/2013 7:00p	Tue 04/02/2013 9:30p	Laura Kahse (Deleted)	Sayreville Bullets Soccer	Sayreville Bullets Soccer	
Tue 04/09/2013 6:45p	Tue 04/09/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer	
Tue 04/16/2013 6:45p	Tue 04/16/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer	
Tue 04/23/2013 6:45p	Tue 04/23/2013 10:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer	
Thu 04/25/2013 6:45p	Thu 04/25/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer	
Thu 05/02/2013 6:45p	Thu 05/02/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer	
Tue 05/07/2013 6:45p	Tue 05/07/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer	

Tue 05/14/2013 6:45p	Tue 05/14/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Thu 05/16/2013 6:45p	Thu 05/16/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Tue 05/21/2013 6:45p	Tue 05/21/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Thu 05/30/2013 6:45p	Thu 05/30/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Tue 06/04/2013 6:45p	Tue 06/04/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Thu 06/06/2013 6:45p	Thu 06/06/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Tue 06/18/2013 6:45p	Tue 06/18/2013 6:57p EarlyOff 6:57p Originally 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
Wed 06/26/2013 7:55p EarlyOn 7:55p Schedule Added	Wed 06/26/2013 10:00p	Lakisha Thomas	Sayreville Bullets Soccer	Thunder & Lightning has ceased
Tue 07/02/2013 6:45p	Tue 07/02/2013 9:30p	Lakisha Thomas	Sayreville Bullets Soccer	Sayreville Bullets Soccer
User Group Totals For Soccer 1 :				
<u>User Group</u>		<u>Auto Hours Usage</u>		<u>Hours Saved from Early Offs</u>
Sayreville Bullets Soccer Total Auto Hours Usage		41:32		2:33
<b>Total Auto Hours Usage For Soccer 1</b>		<b>41:32</b>		<b>2:33</b>
<b>Veterans Drive Field Total Auto Hours Usage = 41:32</b>				
<b>Veterans Drive Field Total Hours Saved from Early Offs = 2:33</b>				

City of South River Total Auto Hours Usage = 41:32  
 City of South River Total Hours Saved from Early Offs = 2:33

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	0:00	0:00
<b>City of South River</b>	<b>0:00</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
<b>City of South River</b>		<b>0:00</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
<b>City of South River</b>	<b>0:00</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
<b>City of South River</b>			<b>0:00</b>	<b>0:00</b>

<b>Detail For Facility: Veterans Drive Field</b>		
Soccer 1		
Total Auto Hours Usage For Soccer 1	0:00	0:00
Veterans Drive Field Total Auto Hours Usage = 0:00		
Veterans Drive Field Total Hours Saved from Early Offs = 0:00		

City of South River Total Auto Hours Usage = 0:00  
 City of South River Total Hours Saved from Early Offs = 0:00

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	91:42	3:40
<b>City of South River</b>	<b>91:42</b>	<b>3:40</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	91:42	3:40
<b>City of South River</b>		<b>91:42</b>	<b>3:40</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
South River High School	91:42	3:40
<b>City of South River</b>	<b>91:42</b>	<b>3:40</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	South River High School	91:42	3:40
<b>City of South River</b>			<b>91:42</b>	<b>3:40</b>

<b>Detail For Facility: Veterans Drive Field</b>				
<b>Soccer 1</b>				
Schedules For Soccer 1 :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Mon 08/19/2013 7:02p	Mon 08/19/2013 9:15p	Lakisha Thomas	South River High School	
Tue 08/20/2013 7:01p	Tue 08/20/2013 9:15p	Lakisha Thomas	South River High School	
Wed 08/21/2013 6:59p	Wed 08/21/2013 10:15p	Lakisha Thomas	South River High School	
Fri 08/23/2013 6:56p	Fri 08/23/2013 9:15p	Lakisha Thomas	South River High School	
Tue 08/27/2013 6:50p	Tue 08/27/2013 10:15p	Lakisha Thomas	South River High School	
Wed 08/28/2013 6:49p	Wed 08/28/2013 9:30p	Lakisha Thomas	South River High School	
Thu 08/29/2013 6:47p	Thu 08/29/2013 9:30p	Lakisha Thomas	South River High School	

Fri 08/30/2013 6:45p	Fri 08/30/2013 9:30p	Lakisha Thomas	South River High School
Tue 09/03/2013 6:39p	Tue 09/03/2013 9:30p	Lakisha Thomas	South River High School
Wed 09/04/2013 6:38p	Wed 09/04/2013 10:15p	Lakisha Thomas	South River High School
Thu 09/05/2013 6:36p	Thu 09/05/2013 9:30p	Lakisha Thomas	South River High School
Fri 09/06/2013 6:34p	Fri 09/06/2013 9:30p	Lakisha Thomas	South River High School
Mon 09/09/2013 6:29p	Mon 09/09/2013 9:30p	Lakisha Thomas	South River High School
Tue 09/10/2013 6:28p	Tue 09/10/2013 9:30p	Lakisha Thomas	South River High School
Wed 09/11/2013 6:26p	Wed 09/11/2013 9:30p	Lakisha Thomas	South River High School
Thu 09/12/2013 6:25p	Thu 09/12/2013 9:30p	Lakisha Thomas	South River High School
Fri 09/13/2013 6:23p	Fri 09/13/2013 9:30p	Lakisha Thomas	South River High School
Mon 09/16/2013 6:18p	Mon 09/16/2013 9:30p	Lakisha Thomas	South River High School
Tue 09/17/2013 6:16p	Tue 09/17/2013 9:30p	Lakisha Thomas	South River High School
Wed 09/18/2013 6:15p	Wed 09/18/2013 9:30p	Lakisha Thomas	South River High School
Thu 09/19/2013 6:13p	Thu 09/19/2013 9:30p	Lakisha Thomas	South River High School
Fri 09/20/2013 6:11p	Fri 09/20/2013 9:30p	Lakisha Thomas	South River High School
Mon 09/23/2013 6:06p	Mon 09/23/2013 9:30p	Lakisha Thomas	South River High School
Tue 09/24/2013 6:05p	Tue 09/24/2013 9:30p	Lakisha Thomas	South River High School
Fri 09/27/2013 6:00p	Fri 09/27/2013 9:30p	Lakisha Thomas	South River High School
Mon 09/30/2013 5:55p	Mon 09/30/2013 10:30p	Lakisha Thomas	South River High School
Wed 10/02/2013 5:52p	Wed 10/02/2013 9:30p	Lakisha Thomas	South River High School
Fri 10/04/2013 5:48p	Fri 10/04/2013 9:30p	Lakisha Thomas	South River High School
Fri 10/11/2013 5:37p	Fri 10/11/2013 5:50p Early Off 5:50p Originally 9:30p	Lakisha Thomas	South River High School
Wed 10/16/2013 5:30p	Wed 10/16/2013 9:15p	Lakisha Thomas	South River High School

User Group Totals For Soccer 1 :

<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>
South River High School Total Auto Hours Usage	91:42	3:40
<b>Total Auto Hours Usage For Soccer 1</b>	<b>91:42</b>	<b>3:40</b>

**Veterans Drive Field Total Auto Hours Usage = 91:42**  
**Veterans Drive Field Total Hours Saved from Early Offs = 3:40**

City of South River Total Auto Hours Usage = 91:42  
 City of South River Total Hours Saved from Early Offs = 3:40

**Musco Control-Link Usage Report (Auto Only)**  
 By Facility, Field with User Group Totals  
 Usage Type of Light Usage  
 Tue 01/01/2013 - Tue 12/31/2013

**Export To File**

Owner: City of South River South River,NJ

<b>Summary by Facility</b>		
<u>Facility</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	3:30	0:00
<b>City of South River</b>	<b>3:30</b>	<b>0:00</b>

<b>Summary by Facility, Field</b>			
<u>Facility</u>	<u>Field</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	3:30	0:00
<b>City of South River</b>		<b>3:30</b>	<b>0:00</b>

<b>Summary by User Group</b>		
<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
SRHS Soccer	3:30	0:00
<b>City of South River</b>	<b>3:30</b>	<b>0:00</b>

<b>Summary by Field, User Group</b>				
<u>Facility</u>	<u>Field</u>	<u>User Group</u>	<u>Total Auto Hours Usage</u>	<u>Total Hours Saved from Early Offs</u>
Veterans Drive Field	Soccer 1	SRHS Soccer	3:30	0:00
<b>City of South River</b>			<b>3:30</b>	<b>0:00</b>

<b>Detail For Facility: Veterans Drive Field</b>				
<b>Soccer 1</b>				
Schedules For Soccer 1 :				
<u>Start</u>	<u>End</u>	<u>Scheduler</u>	<u>User Group</u>	<u>Description</u>
Wed 07/31/2013 6:45p	Wed 07/31/2013 10:15p	Lakisha Thomas	SRHS Soccer	SRHS Soccer
User Group Totals For Soccer 1 :				
<u>User Group</u>	<u>Auto Hours Usage</u>	<u>Hours Saved from Early Offs</u>		
SRHS Soccer Total Auto Hours Usage	3:30	0:00		
<b>Total Auto Hours Usage For Soccer 1</b>	<b>3:30</b>	<b>0:00</b>		
<b>Veterans Drive Field Total Auto Hours Usage = 3:30</b>				
<b>Veterans Drive Field Total Hours Saved from Early Offs = 0:00</b>				

City of South River Total Auto Hours Usage = 3:30  
 City of South River Total Hours Saved from Early Offs = 0:00

VETERAN PARK

GREYLOCK PARK

47393

58753 71 Na

40328

58643 13

65 kWh x \$288 = \$18.72

110 kWh x \$288 = \$31.68

DEMAND

DEMAND

66,218 - 15 = 51,218

107,038 - 15 = 92,138

x 20.66 (6/ - 9/30)

x 20.66 (6/1 - 9/30)

\$ 1058.16

\$ 1901.51

\$35.27/day

\$63.32/day

\$ 1.18 / Hour

\$20 SEVERE CHARGE

\$2.07/HOUR

\$20 SEVERE CHARGE

\$ 31.68

18.72

2.64 DEMAND CHG/HOUR

1.18 5% PER HOUR

.03 5% PER HOUR

.03 5%

19.93

\$20

\$34.85

\$35

DAILY'S BOND

23941

23889

①

52 KWHL X \$ .288 = \$ 14.98

DEMAND

53,568 - 15 = 38,568

X 20.66

\$ 796.81

\$ 26.56/mo

② \$ 1.11 / mo

② \$ 20 JOURNAL CHG

14.98

1.11

.03

\$ 16.12

\$ 16

**Richard Dudas**

**From:** Rick Fallon  
**Sent:** Tuesday, January 07, 2014 1:33 PM  
**To:** Richard Dudas

Grekoski park  
meter # 11897028 concession stand  
meter # 12312305 field lighting

Veterans Park  
meter # 11730554 field lighting

Rick Fallon  
South River Electric Utility  
9 Ivan Way South River N.J. 08882  
Office : 732-613-6102  
Fax : 732-254-5324  
Cell : 908-239-7133

999895217  
999895192


*Handwritten notes on a textured background:*  
Dariusz park  
on 12-05-13 REB 23889  
3-25-13 OFF 23941  
58568  
DMM

*Handwritten notes on a textured background:*  
GREKOSKI PARK  
on 12-15-13 REB 58643  
OFF 58753  
D 102.038  
VETERANS PARK  
on 12-15-13 REB 42328  
OFF 42393  
66.218

DAUCY'S POND  
12.31.22 41

168  
3053-R  
D-6 13


DAUCY'S POND METAL  
168131321  
(DOWNS)



VETERANS PARK

GREKOSKI PARK

CONCRETE STAIRS  
POND  
POND



DEMAND METER

VETERANS PARK  
GREKOSKI PARK → 6  
4 POND  
12 POND  
8 POND  
9 PM